



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	2.93	3.11	3.30	3.48	3.66	3.85	4.03	4.21	4.40	4.58	4.76	4.95	5.13	5.31	5.50
	0.75"	3.63	3.86	4.09	4.31	4.54	4.77	4.99	5.22	5.45	5.68	5.90	6.13	6.36	6.58	6.81
	1"	5.30	5.63	5.96	6.29	6.62	6.96	7.29	7.62	7.95	8.28	8.61	8.94	9.27	9.60	9.94
	1.25"	7.65	8.13	8.60	9.08	9.56	10.04	10.52	10.99	11.47	11.95	12.43	12.91	13.38	13.86	14.34
	1.5"	8.88	9.43	9.99	10.54	11.10	11.65	12.21	12.76	13.32	13.87	14.42	14.98	15.53	16.09	16.64
	2"	11.25	11.95	12.65	13.36	14.06	14.76	15.47	16.17	16.87	17.58	18.28	18.98	19.68	20.39	21.09
	2.5"	19.09	20.28	21.48	22.67	23.86	25.06	26.25	27.44	28.64	29.83	31.02	32.22	33.41	34.60	35.80
	3"	23.00	24.44	25.88	27.31	28.75	30.19	31.63	33.06	34.50	35.94	37.38	38.82	40.25	41.69	43.13
	3.5"	29.70	31.55	33.41	35.26	37.12	38.98	40.83	42.69	44.54	46.40	48.26	50.11	51.97	53.82	55.68
	4"	32.45	34.48	36.50	38.53	40.56	42.59	44.62	46.64	48.67	50.70	52.73	54.76	56.78	58.81	60.84
	5"	44.99	47.80	50.62	53.43	56.24	59.05	61.86	64.68	67.49	70.30	73.11	75.92	78.74	81.55	84.36
6"	59.75	63.48	67.22	70.95	74.68	78.42	82.15	85.89	89.62	93.36	97.09	100.82	104.56	108.29	112.03	
8"	129.49	137.58	145.68	153.77	161.86	169.96	178.05	186.14	194.24	202.33	210.42	218.52	226.61	234.70	242.80	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	4.60	4.89	5.17	5.46	5.75	6.04	6.32	6.61	6.90	7.19	7.47	7.76	8.05	8.33	8.62
	0.75"	6.17	6.55	6.94	7.32	7.71	8.09	8.48	8.86	9.25	9.64	10.02	10.41	10.79	11.18	11.56
	1"	8.67	9.21	9.75	10.29	10.84	11.38	11.92	12.46	13.00	13.55	14.09	14.63	15.17	15.71	16.25
	1.25"	11.29	12.00	12.70	13.41	14.11	14.82	15.52	16.23	16.93	17.64	18.35	19.05	19.76	20.46	21.17
	1.5"	13.39	14.22	15.06	15.90	16.73	17.57	18.41	19.24	20.08	20.92	21.75	22.59	23.42	24.26	25.10
	2"	17.62	18.72	19.83	20.93	22.03	23.13	24.23	25.33	26.43	27.54	28.64	29.74	30.84	31.94	33.04
	2.5"	28.24	30.00	31.77	33.53	35.30	37.06	38.83	40.59	42.36	44.12	45.88	47.65	49.41	51.18	52.94
	3"	34.20	36.33	38.47	40.61	42.74	44.88	47.02	49.16	51.29	53.43	55.57	57.70	59.84	61.98	64.12
	4"	51.87	55.11	58.36	61.60	64.84	68.08	71.32	74.57	77.81	81.05	84.29	87.53	90.78	94.02	97.26
	5"	75.83	80.57	85.31	90.05	94.79	99.53	104.27	109.01	113.75	118.49	123.23	127.97	132.71	137.45	142.19
6"	107.51	114.23	120.95	127.67	134.39	141.11	147.83	154.55	161.27	167.99	174.71	181.43	188.15	194.87	201.59	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	5.51	5.86	6.20	6.55	6.89	7.24	7.58	7.93	8.27	8.62	8.96	9.30	9.65	9.99	10.34
	3"	11.18	11.88	12.58	13.28	13.98	14.67	15.37	16.07	16.77	17.47	18.17	18.87	19.57	20.27	20.96
	4"	18.21	19.35	20.48	21.62	22.76	23.90	25.04	26.17	27.31	28.45	29.59	30.73	31.86	33.00	34.14
	5"	28.04	29.80	31.55	33.30	35.06	36.81	38.56	40.31	42.07	43.82	45.57	47.33	49.08	50.83	52.58
	6"	38.29	40.68	43.07	45.47	47.86	50.25	52.65	55.04	57.43	59.83	62.22	64.61	67.00	69.40	71.79
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	13.09	13.91	14.72	15.54	16.36	17.18	18.00	18.81	19.63	20.45	21.27	22.09	22.90	23.72	24.54
	4"	21.04	22.35	23.67	24.98	26.30	27.61	28.93	30.24	31.56	32.87	34.18	35.50	36.81	38.13	39.44
	5"	32.91	34.96	37.02	39.08	41.13	43.19	45.25	47.30	49.36	51.42	53.47	55.53	57.58	59.64	61.70
	6"	48.15	51.16	54.17	57.18	60.19	63.20	66.21	69.22	72.23	75.24	78.25	81.26	84.27	87.28	90.29

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	3.28	3.49	3.69	3.90	4.10	4.31	4.51	4.72	4.92	5.13	5.34	5.54	5.75	5.95	6.16
	1.5"	5.04	5.35	5.67	5.98	6.30	6.61	6.93	7.24	7.56	7.87	8.18	8.50	8.81	9.13	9.44
	2"	6.61	7.03	7.44	7.85	8.27	8.68	9.09	9.51	9.92	10.34	10.75	11.16	11.58	11.99	12.40
	3"	14.12	15.00	15.88	16.76	17.64	18.53	19.41	20.29	21.17	22.06	22.94	23.82	24.70	25.58	26.47
	4"	23.01	24.45	25.89	27.33	28.77	30.21	31.64	33.08	34.52	35.96	37.40	38.84	40.28	41.71	43.15
	5"	36.12	38.38	40.64	42.89	45.15	47.41	49.67	51.92	54.18	56.44	58.70	60.96	63.21	65.47	67.73
EB35 ASTM F512 20 FT BE	4"	15.53	16.50	17.47	18.44	19.41	20.38	21.35	22.32	23.29	24.26	25.23	26.20	27.17	28.14	29.11
	5"	22.95	24.38	25.82	27.25	28.69	30.12	31.56	32.99	34.43	35.86	37.29	38.73	40.16	41.60	43.03
	6"	33.32	35.40	37.48	39.57	41.65	43.73	45.81	47.90	49.98	52.06	54.14	56.22	58.31	60.39	62.47
TYPE C	4"	21.16	22.48	23.81	25.13	26.45	27.77	29.10	30.42	31.74	33.07	34.39	35.71	37.03	38.36	39.68
GTS-8342 20 FT BE	2"	6.60	7.01	7.42	7.83	8.24	8.66	9.07	9.48	9.89	10.31	10.72	11.13	11.54	11.95	12.37
	4"	21.64	22.99	24.35	25.70	27.05	28.40	29.76	31.11	32.46	33.82	35.17	36.52	37.87	39.23	40.58
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	5.21	5.54	5.86	6.19	6.52	6.84	7.17	7.49	7.82	8.15	8.47	8.80	9.12	9.45	9.77
	1.5"	9.31	9.89	10.48	11.06	11.64	12.22	12.80	13.39	13.97	14.55	15.13	15.71	16.30	16.88	17.46
	2"	11.52	12.24	12.96	13.68	14.40	15.12	15.84	16.56	17.28	18.00	18.71	19.43	20.15	20.87	21.59
	3"	23.02	24.46	25.90	27.34	28.78	30.21	31.65	33.09	34.53	35.97	37.41	38.85	40.29	41.73	43.16
	4"	32.07	34.07	36.08	38.08	40.09	42.09	44.10	46.10	48.11	50.11	52.11	54.12	56.12	58.13	60.13
	6"	57.31	60.89	64.48	68.06	71.64	75.22	78.80	82.39	85.97	89.55	93.13	96.71	100.30	103.88	107.46
	8"	88.79	94.34	99.89	105.43	110.98	116.53	122.08	127.63	133.18	138.73	144.28	149.83	155.38	160.93	166.48
	10"	127.92	135.91	143.91	151.90	159.90	167.89	175.89	183.88	191.88	199.87	207.86	215.86	223.85	231.85	239.84
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	20.79	22.09	23.39	24.68	25.98	27.28	28.58	29.88	31.18	32.48	33.78	35.08	36.38	37.68	38.98
	5"	32.52	34.55	36.59	38.62	40.65	42.68	44.72	46.75	48.78	50.82	52.85	54.88	56.91	58.95	60.98
	6"	47.61	50.58	53.56	56.53	59.51	62.48	65.46	68.43	71.41	74.39	77.36	80.34	83.31	86.29	89.26
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	3.02	3.21	3.40	3.59	3.78	3.97	4.16	4.35	4.54	4.73	4.91	5.10	5.29	5.48	5.67
	1.5"	4.64	4.93	5.22	5.51	5.80	6.09	6.38	6.67	6.96	7.25	7.53	7.82	8.11	8.40	8.69
	2"	6.18	6.56	6.95	7.33	7.72	8.11	8.49	8.88	9.26	9.65	10.04	10.42	10.81	11.19	11.58
	2.5"	9.37	9.95	10.54	11.12	11.71	12.29	12.88	13.46	14.05	14.64	15.22	15.81	16.39	16.98	17.56
	3"	13.78	14.64	15.51	16.37	17.23	18.09	18.95	19.81	20.67	21.54	22.40	23.26	24.12	24.98	25.84
	4"	22.52	23.92	25.33	26.74	28.14	29.55	30.96	32.37	33.77	35.18	36.59	37.99	39.40	40.81	42.22
EB35 (AZ)	5"	34.35	36.50	38.64	40.79	42.94	45.08	47.23	49.38	51.52	53.67	55.82	57.96	60.11	62.26	64.40
	5"	21.13	22.45	23.77	25.10	26.42	27.74	29.06	30.38	31.70	33.02	34.34	35.66	36.98	38.30	39.62

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	5.68	5.86	6.05	6.23	6.41	6.60	6.78	6.96	7.14	7.33	7.51	7.69	7.88	8.06	8.24
	0.75"	7.04	7.26	7.49	7.72	7.95	8.17	8.40	8.63	8.85	9.08	9.31	9.53	9.76	9.99	10.22
	1"	10.27	10.60	10.93	11.26	11.59	11.92	12.25	12.59	12.92	13.25	13.58	13.91	14.24	14.57	14.90
	1.25"	14.82	15.30	15.77	16.25	16.73	17.21	17.69	18.16	18.64	19.12	19.60	20.08	20.55	21.03	21.51
	1.5"	17.20	17.75	18.31	18.86	19.42	19.97	20.53	21.08	21.64	22.19	22.75	23.30	23.86	24.41	24.97
	2"	21.79	22.50	23.20	23.90	24.61	25.31	26.01	26.71	27.42	28.12	28.82	29.53	30.23	30.93	31.64
	2.5"	36.99	38.18	39.38	40.57	41.76	42.96	44.15	45.34	46.53	47.73	48.92	50.11	51.31	52.50	53.69
	3"	44.57	46.00	47.44	48.88	50.32	51.75	53.19	54.63	56.07	57.50	58.94	60.38	61.82	63.25	64.69
	3.5"	57.54	59.39	61.25	63.10	64.96	66.82	68.67	70.53	72.38	74.24	76.10	77.95	79.81	81.66	83.52
	4"	62.87	64.90	66.92	68.95	70.98	73.01	75.04	77.06	79.09	81.12	83.15	85.18	87.20	89.23	91.26
	5"	87.17	89.98	92.80	95.61	98.42	101.23	104.04	106.86	109.67	112.48	115.29	118.10	120.92	123.73	126.54
6"	115.76	119.49	123.23	126.96	130.70	134.43	138.17	141.90	145.63	149.37	153.10	156.84	160.57	164.30	168.04	
8"	250.89	258.98	267.08	275.17	283.26	291.36	299.45	307.54	315.63	323.73	331.82	339.91	348.01	356.10	364.19	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	8.91	9.20	9.48	9.77	10.06	10.35	10.63	10.92	11.21	11.50	11.78	12.07	12.36	12.65	12.93
	0.75"	11.95	12.33	12.72	13.10	13.49	13.87	14.26	14.65	15.03	15.42	15.80	16.19	16.57	16.96	17.34
	1"	16.80	17.34	17.88	18.42	18.96	19.50	20.05	20.59	21.13	21.67	22.21	22.76	23.30	23.84	24.38
	1.25"	21.87	22.58	23.28	23.99	24.70	25.40	26.11	26.81	27.52	28.22	28.93	29.64	30.34	31.05	31.75
	1.5"	25.93	26.77	27.61	28.44	29.28	30.12	30.95	31.79	32.63	33.46	34.30	35.14	35.97	36.81	37.65
	2"	34.14	35.24	36.35	37.45	38.55	39.65	40.75	41.85	42.95	44.06	45.16	46.26	47.36	48.46	49.56
	2.5"	54.71	56.47	58.24	60.00	61.77	63.53	65.30	67.06	68.83	70.59	72.36	74.12	75.89	77.65	79.42
	3"	66.25	68.39	70.53	72.66	74.80	76.94	79.08	81.21	83.35	85.49	87.63	89.76	91.90	94.04	96.17
	4"	100.50	103.74	106.99	110.23	113.47	116.71	119.95	123.20	126.44	129.68	132.92	136.16	139.41	142.65	145.89
	5"	146.93	151.67	156.41	161.15	165.89	170.63	175.37	180.10	184.84	189.58	194.32	199.06	203.80	208.54	213.28
6"	208.31	215.03	221.75	228.47	235.19	241.91	248.63	255.34	262.06	268.78	275.50	282.22	288.94	295.66	302.38	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	10.68	11.03	11.37	11.72	12.06	12.41	12.75	13.09	13.44	13.78	14.13	14.47	14.82	15.16	15.51
	3"	21.66	22.36	23.06	23.76	24.46	25.16	25.86	26.55	27.25	27.95	28.65	29.35	30.05	30.75	31.45
	4"	35.28	36.42	37.55	38.69	39.83	40.97	42.11	43.24	44.38	45.52	46.66	47.80	48.93	50.07	51.21
	5"	54.34	56.09	57.84	59.60	61.35	63.10	64.85	66.61	68.36	70.11	71.86	73.62	75.37	77.12	78.88
	6"	74.18	76.58	78.97	81.36	83.76	86.15	88.54	90.93	93.33	95.72	98.11	100.51	102.90	105.29	107.69
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	25.36	26.18	26.99	27.81	28.63	29.45	30.27	31.08	31.90	32.72	33.54	34.36	35.17	35.99	36.81
	4"	40.76	42.07	43.39	44.70	46.02	47.33	48.65	49.96	51.28	52.59	53.91	55.22	56.54	57.85	59.17
	5"	63.75	65.81	67.87	69.92	71.98	74.04	76.09	78.15	80.21	82.26	84.32	86.38	88.43	90.49	92.55
	6"	93.30	96.31	99.32	102.33	105.34	108.35	111.36	114.36	117.37	120.38	123.39	126.40	129.41	132.42	135.43

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	6.36	6.57	6.77	6.98	7.18	7.39	7.59	7.80	8.00	8.21	8.41	8.62	8.82	9.03	9.23
	1.5"	9.76	10.07	10.39	10.70	11.02	11.33	11.65	11.96	12.28	12.59	12.91	13.22	13.54	13.85	14.17
	2"	12.82	13.23	13.64	14.06	14.47	14.88	15.30	15.71	16.12	16.54	16.95	17.36	17.78	18.19	18.60
	3"	27.35	28.23	29.11	29.99	30.88	31.76	32.64	33.52	34.41	35.29	36.17	37.05	37.93	38.82	39.70
	4"	44.59	46.03	47.47	48.91	50.34	51.78	53.22	54.66	56.10	57.54	58.97	60.41	61.85	63.29	64.73
	5"	69.99	72.24	74.50	76.76	79.02	81.27	83.53	85.79	88.05	90.30	92.56	94.82	97.08	99.33	101.59
EB35 ASTM F512 20 FT BE	4"	30.08	31.05	32.02	32.99	33.96	34.93	35.90	36.88	37.85	38.82	39.79	40.76	41.73	42.70	43.67
	5"	44.47	45.90	47.34	48.77	50.20	51.64	53.07	54.51	55.94	57.38	58.81	60.24	61.68	63.11	64.55
	6"	64.55	66.64	68.72	70.80	72.88	74.97	77.05	79.13	81.21	83.30	85.38	87.46	89.54	91.63	93.71
TYPE C	4"	41.00	42.32	43.65	44.97	46.29	47.61	48.94	50.26	51.58	52.90	54.23	55.55	56.87	58.19	59.52
GTS-8342 20 FT BE	2"	12.78	13.19	13.60	14.01	14.43	14.84	15.25	15.66	16.08	16.49	16.90	17.31	17.72	18.14	18.55
	4"	41.93	43.28	44.64	45.99	47.34	48.69	50.05	51.40	52.75	54.10	55.46	56.81	58.16	59.51	60.87
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	10.10	10.43	10.75	11.08	11.40	11.73	12.05	12.38	12.71	13.03	13.36	13.68	14.01	14.34	14.66
	1.5"	18.04	18.62	19.21	19.79	20.37	20.95	21.53	22.12	22.70	23.28	23.86	24.44	25.03	25.61	26.19
	2"	22.31	23.03	23.75	24.47	25.19	25.91	26.63	27.35	28.07	28.79	29.51	30.23	30.95	31.67	32.39
	3"	44.60	46.04	47.48	48.92	50.36	51.80	53.24	54.67	56.11	57.55	58.99	60.43	61.87	63.31	64.75
	4"	62.14	64.14	66.15	68.15	70.15	72.16	74.16	76.17	78.17	80.18	82.18	84.18	86.19	88.19	90.20
	6"	111.04	114.62	118.21	121.79	125.37	128.95	132.53	136.12	139.70	143.28	146.86	150.44	154.03	157.61	161.19
	8"	172.03	177.57	183.12	188.67	194.22	199.77	205.32	210.87	216.42	221.97	227.52	233.07	238.62	244.16	249.71
	10"	247.84	255.83	263.83	271.82	279.82	287.81	295.81	303.80	311.80	319.79	327.79	335.78	343.78	351.77	359.77
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	40.28	41.57	42.87	44.17	45.47	46.77	48.07	49.37	50.67	51.97	53.27	54.57	55.87	57.16	58.46
	5"	63.01	65.04	67.08	69.11	71.14	73.17	75.21	77.24	79.27	81.30	83.34	85.37	87.40	89.43	91.47
	6"	92.24	95.21	98.19	101.16	104.14	107.11	110.09	113.07	116.04	119.02	121.99	124.97	127.94	130.92	133.89
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	5.86	6.05	6.24	6.43	6.62	6.80	6.99	7.18	7.37	7.56	7.75	7.94	8.13	8.32	8.51
	1.5"	8.98	9.27	9.56	9.85	10.14	10.43	10.72	11.01	11.30	11.59	11.88	12.17	12.46	12.75	13.04
	2"	11.97	12.35	12.74	13.12	13.51	13.90	14.28	14.67	15.05	15.44	15.83	16.21	16.60	16.98	17.37
	2.5"	18.15	18.73	19.32	19.90	20.49	21.07	21.66	22.25	22.83	23.42	24.00	24.59	25.17	25.76	26.34
	3"	26.70	27.56	28.43	29.29	30.15	31.01	31.87	32.73	33.59	34.46	35.32	36.18	37.04	37.90	38.76
	4"	43.62	45.03	46.44	47.84	49.25	50.66	52.07	53.47	54.88	56.29	57.70	59.10	60.51	61.92	63.32
EB35 (AZ)	5"	66.55	68.70	70.84	72.99	75.14	77.28	79.43	81.58	83.73	85.87	88.02	90.17	92.31	94.46	96.61
	5"	40.94	42.27	43.59	44.91	46.23	47.55	48.87	50.19	51.51	52.83	54.15	55.47	56.79	58.12	59.44

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	8.43	8.61	8.79	8.98	9.16	9.34	9.53	9.71	9.89	10.08	10.26	10.44	10.63	10.81	10.99
	0.75"	10.44	10.67	10.90	11.12	11.35	11.58	11.80	12.03	12.26	12.49	12.71	12.94	13.17	13.39	13.62
	1"	15.24	15.57	15.90	16.23	16.56	16.89	17.22	17.55	17.88	18.22	18.55	18.88	19.21	19.54	19.87
	1.25"	21.99	22.47	22.94	23.42	23.90	24.38	24.86	25.33	25.81	26.29	26.77	27.25	27.72	28.20	28.68
	1.5"	25.52	26.08	26.63	27.19	27.74	28.29	28.85	29.40	29.96	30.51	31.07	31.62	32.18	32.73	33.29
	2"	32.34	33.04	33.74	34.45	35.15	35.85	36.56	37.26	37.96	38.67	39.37	40.07	40.77	41.48	42.18
	2.5"	54.89	56.08	57.27	58.47	59.66	60.85	62.05	63.24	64.43	65.63	66.82	68.01	69.21	70.40	71.59
	3"	66.13	67.57	69.00	70.44	71.88	73.32	74.76	76.19	77.63	79.07	80.51	81.94	83.38	84.82	86.26
	3.5"	85.38	87.23	89.09	90.94	92.80	94.66	96.51	98.37	100.22	102.08	103.94	105.79	107.65	109.50	111.36
	4"	93.29	95.32	97.34	99.37	101.40	103.43	105.46	107.48	109.51	111.54	113.57	115.60	117.62	119.65	121.68
	5"	129.35	132.16	134.98	137.79	140.60	143.41	146.22	149.04	151.85	154.66	157.47	160.28	163.10	165.91	168.72
6"	171.77	175.51	179.24	182.98	186.71	190.44	194.18	197.91	201.65	205.38	209.12	212.85	216.58	220.32	224.05	
8"	372.29	380.38	388.47	396.57	404.66	412.75	420.85	428.94	437.03	445.13	453.22	461.31	469.41	477.50	485.59	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	13.22	13.51	13.80	14.08	14.37	14.66	14.94	15.23	15.52	15.81	16.09	16.38	16.67	16.96	17.24
	0.75"	17.73	18.11	18.50	18.88	19.27	19.66	20.04	20.43	20.81	21.20	21.58	21.97	22.35	22.74	23.12
	1"	24.92	25.46	26.01	26.55	27.09	27.63	28.17	28.72	29.26	29.80	30.34	30.88	31.42	31.97	32.51
	1.25"	32.46	33.16	33.87	34.57	35.28	35.99	36.69	37.40	38.10	38.81	39.51	40.22	40.92	41.63	42.34
	1.5"	38.48	39.32	40.16	40.99	41.83	42.67	43.50	44.34	45.18	46.01	46.85	47.69	48.52	49.36	50.20
	2"	50.66	51.77	52.87	53.97	55.07	56.17	57.27	58.37	59.48	60.58	61.68	62.78	63.88	64.98	66.08
	2.5"	81.18	82.95	84.71	86.48	88.24	90.00	91.77	93.53	95.30	97.06	98.83	100.59	102.36	104.12	105.89
	3"	98.31	100.45	102.59	104.72	106.86	109.00	111.13	113.27	115.41	117.55	119.68	121.82	123.96	126.09	128.23
	4"	149.13	152.37	155.62	158.86	162.10	165.34	168.58	171.83	175.07	178.31	181.55	184.79	188.04	191.28	194.52
	5"	218.02	222.76	227.50	232.24	236.98	241.72	246.46	251.20	255.94	260.68	265.42	270.16	274.90	279.64	284.38
6"	309.10	315.82	322.54	329.26	335.98	342.70	349.42	356.14	362.86	369.58	376.30	383.02	389.74	396.46	403.18	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	15.85	16.20	16.54	16.89	17.23	17.57	17.92	18.26	18.61	18.95	19.30	19.64	19.99	20.33	20.68
	3"	32.14	32.84	33.54	34.24	34.94	35.64	36.34	37.04	37.74	38.43	39.13	39.83	40.53	41.23	41.93
	4"	52.35	53.49	54.62	55.76	56.90	58.04	59.18	60.31	61.45	62.59	63.73	64.87	66.00	67.14	68.28
	5"	80.63	82.38	84.13	85.89	87.64	89.39	91.15	92.90	94.65	96.40	98.16	99.91	101.66	103.42	105.17
	6"	110.08	112.47	114.86	117.26	119.65	122.04	124.44	126.83	129.22	131.62	134.01	136.40	138.79	141.19	143.58
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	37.63	38.45	39.26	40.08	40.90	41.72	42.54	43.35	44.17	44.99	45.81	46.63	47.44	48.26	49.08
	4"	60.48	61.80	63.11	64.43	65.74	67.05	68.37	69.68	71.00	72.31	73.63	74.94	76.26	77.57	78.89
	5"	94.60	96.66	98.72	100.77	102.83	104.89	106.94	109.00	111.06	113.11	115.17	117.23	119.28	121.34	123.40
	6"	138.44	141.45	144.46	147.47	150.48	153.49	156.50	159.51	162.52	165.53	168.54	171.55	174.56	177.57	180.58

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	9.44	9.64	9.85	10.05	10.26	10.47	10.67	10.88	11.08	11.29	11.49	11.70	11.90	12.11	12.31
	1.5"	14.48	14.80	15.11	15.43	15.74	16.05	16.37	16.68	17.00	17.31	17.63	17.94	18.26	18.57	18.89
	2"	19.02	19.43	19.84	20.26	20.67	21.08	21.50	21.91	22.32	22.74	23.15	23.56	23.98	24.39	24.80
	3"	40.58	41.46	42.35	43.23	44.11	44.99	45.87	46.76	47.64	48.52	49.40	50.29	51.17	52.05	52.93
	4"	66.17	67.60	69.04	70.48	71.92	73.36	74.80	76.24	77.67	79.11	80.55	81.99	83.43	84.87	86.30
	5"	103.85	106.11	108.36	110.62	112.88	115.14	117.40	119.65	121.91	124.17	126.43	128.68	130.94	133.20	135.46
EB35 ASTM F512 20 FT BE	4"	44.64	45.61	46.58	47.55	48.52	49.49	50.46	51.43	52.40	53.37	54.34	55.31	56.28	57.25	58.22
	5"	65.98	67.42	68.85	70.29	71.72	73.15	74.59	76.02	77.46	78.89	80.33	81.76	83.20	84.63	86.06
	6"	95.79	97.87	99.96	102.04	104.12	106.20	108.28	110.37	112.45	114.53	116.61	118.70	120.78	122.86	124.94
TYPE C	4"	60.84	62.16	63.48	64.81	66.13	67.45	68.78	70.10	71.42	72.74	74.07	75.39	76.71	78.03	79.36
GTS-8342 20 FT BE	2"	18.96	19.37	19.79	20.20	20.61	21.02	21.43	21.85	22.26	22.67	23.08	23.50	23.91	24.32	24.73
	4"	62.22	63.57	64.92	66.28	67.63	68.98	70.34	71.69	73.04	74.39	75.75	77.10	78.45	79.80	81.16
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	14.99	15.31	15.64	15.96	16.29	16.62	16.94	17.27	17.59	17.92	18.24	18.57	18.90	19.22	19.55
	1.5"	26.77	27.35	27.94	28.52	29.10	29.68	30.26	30.85	31.43	32.01	32.59	33.17	33.76	34.34	34.92
	2"	33.11	33.83	34.55	35.27	35.99	36.71	37.43	38.15	38.87	39.59	40.31	41.03	41.75	42.47	43.19
	3"	66.18	67.62	69.06	70.50	71.94	73.38	74.82	76.26	77.70	79.13	80.57	82.01	83.45	84.89	86.33
	4"	92.20	94.21	96.21	98.22	100.22	102.22	104.23	106.23	108.24	110.24	112.25	114.25	116.26	118.26	120.26
	6"	164.77	168.35	171.94	175.52	179.10	182.68	186.26	189.85	193.43	197.01	200.59	204.17	207.76	211.34	214.92
	8"	255.26	260.81	266.36	271.91	277.46	283.01	288.56	294.11	299.66	305.21	310.76	316.30	321.85	327.40	332.95
	10"	367.76	375.76	383.75	391.75	399.74	407.73	415.73	423.72	431.72	439.71	447.71	455.70	463.70	471.69	479.69
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	59.76	61.06	62.36	63.66	64.96	66.26	67.56	68.86	70.16	71.46	72.76	74.05	75.35	76.65	77.95
	5"	93.50	95.53	97.56	99.60	101.63	103.66	105.70	107.73	109.76	111.79	113.83	115.86	117.89	119.92	121.96
	6"	136.87	139.84	142.82	145.79	148.77	151.75	154.72	157.70	160.67	163.65	166.62	169.60	172.57	175.55	178.52
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	8.69	8.88	9.07	9.26	9.45	9.64	9.83	10.02	10.21	10.40	10.58	10.77	10.96	11.15	11.34
	1.5"	13.33	13.62	13.91	14.20	14.49	14.78	15.07	15.36	15.65	15.94	16.23	16.52	16.81	17.10	17.39
	2"	17.76	18.14	18.53	18.91	19.30	19.69	20.07	20.46	20.84	21.23	21.62	22.00	22.39	22.77	23.16
	2.5"	26.93	27.51	28.10	28.68	29.27	29.86	30.44	31.03	31.61	32.20	32.78	33.37	33.95	34.54	35.12
	3"	39.62	40.49	41.35	42.21	43.07	43.93	44.79	45.65	46.52	47.38	48.24	49.10	49.96	50.82	51.68
	4"	64.73	66.14	67.55	68.95	70.36	71.77	73.17	74.58	75.99	77.40	78.80	80.21	81.62	83.02	84.43
EB35 (AZ)	5"	98.75	100.90	103.05	105.19	107.34	109.49	111.63	113.78	115.93	118.07	120.22	122.37	124.51	126.66	128.81
	5"	60.76	62.08	63.40	64.72	66.04	67.36	68.68	70.00	71.32	72.64	73.96	75.29	76.61	77.93	79.25

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	11.18	11.36	11.54	11.72	11.91	12.09	12.27	12.46	12.64	12.82	13.01	13.19	13.37	13.56	13.74
	0.75"	13.85	14.07	14.30	14.53	14.76	14.98	15.21	15.44	15.66	15.89	16.12	16.34	16.57	16.80	17.03
	1"	20.20	20.53	20.87	21.20	21.53	21.86	22.19	22.52	22.85	23.18	23.52	23.85	24.18	24.51	24.84
	1.25"	29.16	29.64	30.11	30.59	31.07	31.55	32.03	32.50	32.98	33.46	33.94	34.42	34.89	35.37	35.85
	1.5"	33.84	34.40	34.95	35.51	36.06	36.62	37.17	37.73	38.28	38.84	39.39	39.95	40.50	41.06	41.61
	2"	42.88	43.59	44.29	44.99	45.70	46.40	47.10	47.80	48.51	49.21	49.91	50.62	51.32	52.02	52.73
	2.5"	72.79	73.98	75.17	76.36	77.56	78.75	79.94	81.14	82.33	83.52	84.72	85.91	87.10	88.30	89.49
	3"	87.69	89.13	90.57	92.01	93.44	94.88	96.32	97.76	99.19	100.63	102.07	103.51	104.94	106.38	107.82
	3.5"	113.22	115.07	116.93	118.78	120.64	122.50	124.35	126.21	128.06	129.92	131.78	133.63	135.49	137.34	139.20
	4"	123.71	125.74	127.76	129.79	131.82	133.85	135.88	137.90	139.93	141.96	143.99	146.02	148.04	150.07	152.10
	5"	171.53	174.34	177.16	179.97	182.78	185.59	188.40	191.22	194.03	196.84	199.65	202.46	205.28	208.09	210.90
6"	227.79	231.52	235.25	238.99	242.72	246.46	250.19	253.93	257.66	261.39	265.13	268.86	272.60	276.33	280.07	
8"	493.69	501.78	509.87	517.96	526.06	534.15	542.24	550.34	558.43	566.52	574.62	582.71	590.80	598.90	606.99	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	17.53	17.82	18.11	18.39	18.68	18.97	19.26	19.54	19.83	20.12	20.41	20.69	20.98	21.27	21.56
	0.75"	23.51	23.89	24.28	24.67	25.05	25.44	25.82	26.21	26.59	26.98	27.36	27.75	28.13	28.52	28.91
	1"	33.05	33.59	34.13	34.68	35.22	35.76	36.30	36.84	37.38	37.93	38.47	39.01	39.55	40.09	40.64
	1.25"	43.04	43.75	44.45	45.16	45.86	46.57	47.28	47.98	48.69	49.39	50.10	50.80	51.51	52.21	52.92
	1.5"	51.03	51.87	52.71	53.54	54.38	55.22	56.05	56.89	57.73	58.56	59.40	60.24	61.07	61.91	62.75
	2"	67.19	68.29	69.39	70.49	71.59	72.69	73.79	74.90	76.00	77.10	78.20	79.30	80.40	81.50	82.61
	2.5"	107.65	109.42	111.18	112.95	114.71	116.48	118.24	120.01	121.77	123.54	125.30	127.07	128.83	130.60	132.36
	3"	130.37	132.51	134.64	136.78	138.92	141.06	143.19	145.33	147.47	149.60	151.74	153.88	156.02	158.15	160.29
	4"	197.76	201.00	204.25	207.49	210.73	213.97	217.21	220.46	223.70	226.94	230.18	233.42	236.67	239.91	243.15
	5"	289.12	293.86	298.59	303.33	308.07	312.81	317.55	322.29	327.03	331.77	336.51	341.25	345.99	350.73	355.47
6"	409.90	416.62	423.33	430.05	436.77	443.49	450.21	456.93	463.65	470.37	477.09	483.81	490.53	497.25	503.97	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	21.02	21.37	21.71	22.05	22.40	22.74	23.09	23.43	23.78	24.12	24.47	24.81	25.16	25.50	25.85
	3"	42.63	43.33	44.02	44.72	45.42	46.12	46.82	47.52	48.22	48.92	49.61	50.31	51.01	51.71	52.41
	4"	69.42	70.56	71.69	72.83	73.97	75.11	76.25	77.38	78.52	79.66	80.80	81.94	83.07	84.21	85.35
	5"	106.92	108.67	110.43	112.18	113.93	115.68	117.44	119.19	120.94	122.70	124.45	126.20	127.95	129.71	131.46
	6"	145.97	148.37	150.76	153.15	155.55	157.94	160.33	162.72	165.12	167.51	169.90	172.30	174.69	177.08	179.48
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	49.90	50.72	51.53	52.35	53.17	53.99	54.81	55.62	56.44	57.26	58.08	58.90	59.71	60.53	61.35
	4"	80.20	81.52	82.83	84.15	85.46	86.78	88.09	89.41	90.72	92.04	93.35	94.67	95.98	97.30	98.61
	5"	125.45	127.51	129.57	131.62	133.68	135.74	137.79	139.85	141.91	143.96	146.02	148.08	150.13	152.19	154.25
	6"	183.59	186.60	189.60	192.61	195.62	198.63	201.64	204.65	207.66	210.67	213.68	216.69	219.70	222.71	225.72

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	12.52	12.72	12.93	13.13	13.34	13.54	13.75	13.95	14.16	14.36	14.57	14.77	14.98	15.18	15.39
	1.5"	19.20	19.52	19.83	20.15	20.46	20.78	21.09	21.41	21.72	22.04	22.35	22.67	22.98	23.30	23.61
	2"	25.22	25.63	26.04	26.46	26.87	27.28	27.70	28.11	28.52	28.94	29.35	29.76	30.18	30.59	31.01
	3"	53.81	54.70	55.58	56.46	57.34	58.23	59.11	59.99	60.87	61.75	62.64	63.52	64.40	65.28	66.17
	4"	87.74	89.18	90.62	92.06	93.50	94.93	96.37	97.81	99.25	100.69	102.13	103.56	105.00	106.44	107.88
	5"	137.71	139.97	142.23	144.49	146.74	149.00	151.26	153.52	155.77	158.03	160.29	162.55	164.80	167.06	169.32
EB35 ASTM F512 20 FT BE	4"	59.19	60.16	61.14	62.11	63.08	64.05	65.02	65.99	66.96	67.93	68.90	69.87	70.84	71.81	72.78
	5"	87.50	88.93	90.37	91.80	93.24	94.67	96.10	97.54	98.97	100.41	101.84	103.28	104.71	106.15	107.58
	6"	127.03	129.11	131.19	133.27	135.36	137.44	139.52	141.60	143.69	145.77	147.85	149.93	152.02	154.10	156.18
TYPE C	4"	80.68	82.00	83.32	84.65	85.97	87.29	88.61	89.94	91.26	92.58	93.90	95.23	96.55	97.87	99.20
GTS-8342 20 FT BE	2"	25.14	25.56	25.97	26.38	26.79	27.21	27.62	28.03	28.44	28.85	29.27	29.68	30.09	30.50	30.92
	4"	82.51	83.86	85.21	86.57	87.92	89.27	90.62	91.98	93.33	94.68	96.03	97.39	98.74	100.09	101.45
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	19.87	20.20	20.53	20.85	21.18	21.50	21.83	22.15	22.48	22.81	23.13	23.46	23.78	24.11	24.44
	1.5"	35.50	36.08	36.67	37.25	37.83	38.41	38.99	39.58	40.16	40.74	41.32	41.90	42.49	43.07	43.65
	2"	43.91	44.63	45.35	46.07	46.79	47.51	48.23	48.95	49.67	50.39	51.11	51.83	52.55	53.27	53.99
	3"	87.77	89.21	90.64	92.08	93.52	94.96	96.40	97.84	99.28	100.72	102.15	103.59	105.03	106.47	107.91
	4"	122.27	124.27	126.28	128.28	130.29	132.29	134.29	136.30	138.30	140.31	142.31	144.32	146.32	148.33	150.33
	6"	218.50	222.08	225.67	229.25	232.83	236.41	239.99	243.58	247.16	250.74	254.32	257.90	261.49	265.07	268.65
	8"	338.50	344.05	349.60	355.15	360.70	366.25	371.80	377.35	382.89	388.44	393.99	399.54	405.09	410.64	416.19
	10"	487.68	495.68	503.67	511.67	519.66	527.66	535.65	543.65	551.64	559.64	567.63	575.63	583.62	591.62	599.61
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	79.25	80.55	81.85	83.15	84.45	85.75	87.05	88.35	89.64	90.94	92.24	93.54	94.84	96.14	97.44
	5"	123.99	126.02	128.05	130.09	132.12	134.15	136.18	138.22	140.25	142.28	144.31	146.35	148.38	150.41	152.45
	6"	181.50	184.47	187.45	190.43	193.40	196.38	199.35	202.33	205.30	208.28	211.25	214.23	217.20	220.18	223.16
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	11.53	11.72	11.91	12.10	12.29	12.47	12.66	12.85	13.04	13.23	13.42	13.61	13.80	13.99	14.18
	1.5"	17.68	17.97	18.26	18.55	18.84	19.13	19.42	19.71	20.00	20.29	20.58	20.87	21.16	21.45	21.74
	2"	23.55	23.93	24.32	24.70	25.09	25.48	25.86	26.25	26.63	27.02	27.41	27.79	28.18	28.56	28.95
	2.5"	35.71	36.29	36.88	37.47	38.05	38.64	39.22	39.81	40.39	40.98	41.56	42.15	42.73	43.32	43.91
	3"	52.55	53.41	54.27	55.13	55.99	56.85	57.71	58.58	59.44	60.30	61.16	62.02	62.88	63.74	64.61
	4"	85.84	87.25	88.65	90.06	91.47	92.88	94.28	95.69	97.10	98.50	99.91	101.32	102.73	104.13	105.54
EB35 (AZ)	5"	130.95	133.10	135.25	137.40	139.54	141.69	143.84	145.98	148.13	150.28	152.42	154.57	156.72	158.86	161.01
	5"	80.57	81.89	83.21	84.53	85.85	87.17	88.49	89.81	91.14	92.46	93.78	95.10	96.42	97.74	99.06

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	13.92	14.11	14.29	14.47	14.66	14.84	15.02	15.21	15.39	15.57	15.76	15.94	16.12	16.30	16.49
	0.75"	17.25	17.48	17.71	17.93	18.16	18.39	18.61	18.84	19.07	19.30	19.52	19.75	19.98	20.20	20.43
	1"	25.17	25.50	25.83	26.16	26.50	26.83	27.16	27.49	27.82	28.15	28.48	28.81	29.15	29.48	29.81
	1.25"	36.33	36.81	37.28	37.76	38.24	38.72	39.20	39.67	40.15	40.63	41.11	41.59	42.06	42.54	43.02
	1.5"	42.16	42.72	43.27	43.83	44.38	44.94	45.49	46.05	46.60	47.16	47.71	48.27	48.82	49.38	49.93
	2"	53.43	54.13	54.83	55.54	56.24	56.94	57.65	58.35	59.05	59.76	60.46	61.16	61.86	62.57	63.27
	2.5"	90.68	91.88	93.07	94.26	95.46	96.65	97.84	99.04	100.23	101.42	102.62	103.81	105.00	106.19	107.39
	3"	109.26	110.70	112.13	113.57	115.01	116.45	117.88	119.32	120.76	122.20	123.63	125.07	126.51	127.95	129.38
	3.5"	141.06	142.91	144.77	146.62	148.48	150.34	152.19	154.05	155.90	157.76	159.62	161.47	163.33	165.18	167.04
	4"	154.13	156.16	158.18	160.21	162.24	164.27	166.30	168.32	170.35	172.38	174.41	176.44	178.46	180.49	182.52
	5"	213.71	216.52	219.34	222.15	224.96	227.77	230.58	233.40	236.21	239.02	241.83	244.64	247.46	250.27	253.08
	6"	283.80	287.53	291.27	295.00	298.74	302.47	306.20	309.94	313.67	317.41	321.14	324.88	328.61	332.34	336.08
8"	615.08	623.18	631.27	639.36	647.46	655.55	663.64	671.74	679.83	687.92	696.02	704.11	712.20	720.29	728.39	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	21.84	22.13	22.42	22.70	22.99	23.28	23.57	23.85	24.14	24.43	24.72	25.00	25.29	25.58	25.87
	0.75"	29.29	29.68	30.06	30.45	30.83	31.22	31.60	31.99	32.37	32.76	33.14	33.53	33.92	34.30	34.69
	1"	41.18	41.72	42.26	42.80	43.34	43.89	44.43	44.97	45.51	46.05	46.59	47.14	47.68	48.22	48.76
	1.25"	53.63	54.33	55.04	55.74	56.45	57.15	57.86	58.56	59.27	59.98	60.68	61.39	62.09	62.80	63.50
	1.5"	63.58	64.42	65.25	66.09	66.93	67.76	68.60	69.44	70.27	71.11	71.95	72.78	73.62	74.46	75.29
	2"	83.71	84.81	85.91	87.01	88.11	89.21	90.31	91.42	92.52	93.62	94.72	95.82	96.92	98.02	99.13
	2.5"	134.12	135.89	137.65	139.42	141.18	142.95	144.71	146.48	148.24	150.01	151.77	153.54	155.30	157.07	158.83
	3"	162.43	164.56	166.70	168.84	170.98	173.11	175.25	177.39	179.52	181.66	183.80	185.94	188.07	190.21	192.35
	4"	246.39	249.63	252.88	256.12	259.36	262.60	265.84	269.09	272.33	275.57	278.81	282.05	285.30	288.54	291.78
	5"	360.21	364.95	369.69	374.43	379.17	383.91	388.65	393.39	398.13	402.87	407.61	412.35	417.08	421.82	426.56
6"	510.69	517.41	524.13	530.85	537.57	544.29	551.01	557.73	564.45	571.17	577.89	584.61	591.32	598.04	604.76	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	26.19	26.53	26.88	27.22	27.57	27.91	28.26	28.60	28.95	29.29	29.64	29.98	30.32	30.67	31.01
	3"	53.11	53.81	54.51	55.21	55.90	56.60	57.30	58.00	58.70	59.40	60.10	60.80	61.49	62.19	62.89
	4"	86.49	87.63	88.76	89.90	91.04	92.18	93.32	94.45	95.59	96.73	97.87	99.01	100.14	101.28	102.42
	5"	133.21	134.97	136.72	138.47	140.22	141.98	143.73	145.48	147.24	148.99	150.74	152.49	154.25	156.00	157.75
	6"	181.87	184.26	186.65	189.05	191.44	193.83	196.23	198.62	201.01	203.41	205.80	208.19	210.58	212.98	215.37
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	62.17	62.99	63.80	64.62	65.44	66.26	67.08	67.89	68.71	69.53	70.35	71.17	71.98	72.80	73.62
	4"	99.92	101.24	102.55	103.87	105.18	106.50	107.81	109.13	110.44	111.76	113.07	114.39	115.70	117.02	118.33
	5"	156.30	158.36	160.41	162.47	164.53	166.58	168.64	170.70	172.75	174.81	176.87	178.92	180.98	183.04	185.09
	6"	228.73	231.74	234.75	237.76	240.77	243.78	246.79	249.80	252.81	255.82	258.83	261.84	264.84	267.85	270.86

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	15.60	15.80	16.01	16.21	16.42	16.62	16.83	17.03	17.24	17.44	17.65	17.85	18.06	18.26	18.47
	1.5"	23.92	24.24	24.55	24.87	25.18	25.50	25.81	26.13	26.44	26.76	27.07	27.39	27.70	28.02	28.33
	2"	31.42	31.83	32.25	32.66	33.07	33.49	33.90	34.31	34.73	35.14	35.55	35.97	36.38	36.79	37.21
	3"	67.05	67.93	68.81	69.69	70.58	71.46	72.34	73.22	74.10	74.99	75.87	76.75	77.63	78.52	79.40
	4"	109.32	110.76	112.20	113.63	115.07	116.51	117.95	119.39	120.83	122.26	123.70	125.14	126.58	128.02	129.46
	5"	171.58	173.84	176.09	178.35	180.61	182.87	185.12	187.38	189.64	191.90	194.15	196.41	198.67	200.93	203.18
EB35 ASTM F512 20 FT BE	4"	73.75	74.72	75.69	76.66	77.63	78.60	79.57	80.54	81.51	82.48	83.45	84.42	85.40	86.37	87.34
	5"	109.01	110.45	111.88	113.32	114.75	116.19	117.62	119.06	120.49	121.92	123.36	124.79	126.23	127.66	129.10
	6"	158.26	160.34	162.43	164.51	166.59	168.67	170.76	172.84	174.92	177.00	179.09	181.17	183.25	185.33	187.42
TYPE C	4"	100.52	101.84	103.16	104.49	105.81	107.13	108.45	109.78	111.10	112.42	113.74	115.07	116.39	117.71	119.03
GTS-8342 20 FT BE	2"	31.33	31.74	32.15	32.56	32.98	33.39	33.80	34.21	34.62	35.04	35.45	35.86	36.27	36.69	37.10
	4"	102.80	104.15	105.50	106.86	108.21	109.56	110.91	112.27	113.62	114.97	116.32	117.68	119.03	120.38	121.73
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	24.76	25.09	25.41	25.74	26.06	26.39	26.72	27.04	27.37	27.69	28.02	28.34	28.67	29.00	29.32
	1.5"	44.23	44.81	45.40	45.98	46.56	47.14	47.72	48.31	48.89	49.47	50.05	50.63	51.22	51.80	52.38
	2"	54.70	55.42	56.14	56.86	57.58	58.30	59.02	59.74	60.46	61.18	61.90	62.62	63.34	64.06	64.78
	3"	109.35	110.79	112.23	113.67	115.10	116.54	117.98	119.42	120.86	122.30	123.74	125.18	126.61	128.05	129.49
	4"	152.33	154.34	156.34	158.35	160.35	162.36	164.36	166.37	168.37	170.37	172.38	174.38	176.39	178.39	180.40
	6"	272.23	275.81	279.40	282.98	286.56	290.14	293.72	297.31	300.89	304.47	308.05	311.63	315.22	318.80	322.38
	8"	421.74	427.29	432.84	438.39	443.94	449.49	455.03	460.58	466.13	471.68	477.23	482.78	488.33	493.88	499.43
	10"	607.60	615.60	623.59	631.59	639.58	647.58	655.57	663.57	671.56	679.56	687.55	695.55	703.54	711.54	719.53
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	98.74	100.04	101.34	102.64	103.94	105.24	106.53	107.83	109.13	110.43	111.73	113.03	114.33	115.63	116.93
	5"	154.48	156.51	158.54	160.58	162.61	164.64	166.67	168.71	170.74	172.77	174.80	176.84	178.87	180.90	182.93
	6"	226.13	229.11	232.08	235.06	238.03	241.01	243.98	246.96	249.93	252.91	255.88	258.86	261.84	264.81	267.79
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	14.36	14.55	14.74	14.93	15.12	15.31	15.50	15.69	15.88	16.07	16.25	16.44	16.63	16.82	17.01
	1.5"	22.02	22.31	22.60	22.89	23.18	23.47	23.76	24.05	24.34	24.63	24.92	25.21	25.50	25.79	26.08
	2"	29.34	29.72	30.11	30.49	30.88	31.27	31.65	32.04	32.42	32.81	33.20	33.58	33.97	34.35	34.74
	2.5"	44.49	45.08	45.66	46.25	46.83	47.42	48.00	48.59	49.17	49.76	50.34	50.93	51.52	52.10	52.69
	3"	65.47	66.33	67.19	68.05	68.91	69.77	70.63	71.50	72.36	73.22	74.08	74.94	75.80	76.66	77.53
	4"	106.95	108.35	109.76	111.17	112.58	113.98	115.39	116.80	118.20	119.61	121.02	122.43	123.83	125.24	126.65
EB35 (AZ)	5"	163.16	165.30	167.45	169.60	171.74	173.89	176.04	178.18	180.33	182.48	184.62	186.77	188.92	191.07	193.21
	5"	100.38	101.70	103.02	104.34	105.66	106.98	108.31	109.63	110.95	112.27	113.59	114.91	116.23	117.55	118.87

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	16.67	16.85	17.04	17.22	17.40	17.59	17.77	17.95	18.14	18.32	18.50	18.69	18.87	19.05	19.24
	0.75"	20.66	20.88	21.11	21.34	21.57	21.79	22.02	22.25	22.47	22.70	22.93	23.15	23.38	23.61	23.84
	1"	30.14	30.47	30.80	31.13	31.46	31.80	32.13	32.46	32.79	33.12	33.45	33.78	34.11	34.44	34.78
	1.25"	43.50	43.98	44.45	44.93	45.41	45.89	46.37	46.84	47.32	47.80	48.28	48.76	49.23	49.71	50.19
	1.5"	50.49	51.04	51.60	52.15	52.71	53.26	53.82	54.37	54.93	55.48	56.03	56.59	57.14	57.70	58.25
	2"	63.97	64.68	65.38	66.08	66.79	67.49	68.19	68.89	69.60	70.30	71.00	71.71	72.41	73.11	73.82
	2.5"	108.58	109.77	110.97	112.16	113.35	114.55	115.74	116.93	118.13	119.32	120.51	121.71	122.90	124.09	125.29
	3"	130.82	132.26	133.70	135.13	136.57	138.01	139.45	140.88	142.32	143.76	145.20	146.64	148.07	149.51	150.95
	3.5"	168.90	170.75	172.61	174.46	176.32	178.18	180.03	181.89	183.74	185.60	187.46	189.31	191.17	193.02	194.88
	4"	184.55	186.58	188.60	190.63	192.66	194.69	196.72	198.74	200.77	202.80	204.83	206.86	208.88	210.91	212.94
	5"	255.89	258.70	261.52	264.33	267.14	269.95	272.76	275.58	278.39	281.20	284.01	286.82	289.64	292.45	295.26
6"	339.81	343.55	347.28	351.01	354.75	358.48	362.22	365.95	369.69	373.42	377.15	380.89	384.62	388.36	392.09	
8"	736.48	744.57	752.67	760.76	768.85	776.95	785.04	793.13	801.23	809.32	817.41	825.51	833.60	841.69	849.79	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	26.15	26.44	26.73	27.02	27.30	27.59	27.88	28.17	28.45	28.74	29.03	29.31	29.60	29.89	30.18
	0.75"	35.07	35.46	35.84	36.23	36.61	37.00	37.38	37.77	38.15	38.54	38.93	39.31	39.70	40.08	40.47
	1"	49.30	49.85	50.39	50.93	51.47	52.01	52.55	53.10	53.64	54.18	54.72	55.26	55.81	56.35	56.89
	1.25"	64.21	64.92	65.62	66.33	67.03	67.74	68.44	69.15	69.85	70.56	71.27	71.97	72.68	73.38	74.09
	1.5"	76.13	76.97	77.80	78.64	79.48	80.31	81.15	81.99	82.82	83.66	84.50	85.33	86.17	87.01	87.84
	2"	100.23	101.33	102.43	103.53	104.63	105.73	106.84	107.94	109.04	110.14	111.24	112.34	113.44	114.55	115.65
	2.5"	160.60	162.36	164.13	165.89	167.66	169.42	171.19	172.95	174.72	176.48	178.24	180.01	181.77	183.54	185.30
	3"	194.49	196.62	198.76	200.90	203.03	205.17	207.31	209.45	211.58	213.72	215.86	217.99	220.13	222.27	224.41
	4"	295.02	298.26	301.51	304.75	307.99	311.23	314.47	317.72	320.96	324.20	327.44	330.68	333.93	337.17	340.41
	5"	431.30	436.04	440.78	445.52	450.26	455.00	459.74	464.48	469.22	473.96	478.70	483.44	488.18	492.92	497.66
6"	611.48	618.20	624.92	631.64	638.36	645.08	651.80	658.52	665.24	671.96	678.68	685.40	692.12	698.84	705.56	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	31.36	31.70	32.05	32.39	32.74	33.08	33.43	33.77	34.12	34.46	34.80	35.15	35.49	35.84	36.18
	3"	63.59	64.29	64.99	65.69	66.39	67.08	67.78	68.48	69.18	69.88	70.58	71.28	71.98	72.68	73.37
	4"	103.56	104.70	105.83	106.97	108.11	109.25	110.39	111.52	112.66	113.80	114.94	116.08	117.21	118.35	119.49
	5"	159.50	161.26	163.01	164.76	166.52	168.27	170.02	171.77	173.53	175.28	177.03	178.79	180.54	182.29	184.04
	6"	217.76	220.16	222.55	224.94	227.34	229.73	232.12	234.51	236.91	239.30	241.69	244.09	246.48	248.87	251.27
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	74.44	75.26	76.07	76.89	77.71	78.53	79.35	80.16	80.98	81.80	82.62	83.44	84.25	85.07	85.89
	4"	119.65	120.96	122.28	123.59	124.91	126.22	127.54	128.85	130.17	131.48	132.79	134.11	135.42	136.74	138.05
	5"	187.15	189.21	191.26	193.32	195.38	197.43	199.49	201.55	203.60	205.66	207.72	209.77	211.83	213.89	215.94
	6"	273.87	276.88	279.89	282.90	285.91	288.92	291.93	294.94	297.95	300.96	303.97	306.98	309.99	313.00	316.01

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	18.67	18.88	19.08	19.29	19.49	19.70	19.90	20.11	20.31	20.52	20.73	20.93	21.14	21.34	21.55
	1.5"	28.65	28.96	29.28	29.59	29.91	30.22	30.54	30.85	31.17	31.48	31.79	32.11	32.42	32.74	33.05
	2"	37.62	38.03	38.45	38.86	39.27	39.69	40.10	40.51	40.93	41.34	41.75	42.17	42.58	42.99	43.41
	3"	80.28	81.16	82.04	82.93	83.81	84.69	85.57	86.46	87.34	88.22	89.10	89.98	90.87	91.75	92.63
	4"	130.89	132.33	133.77	135.21	136.65	138.09	139.52	140.96	142.40	143.84	145.28	146.72	148.16	149.59	151.03
	5"	205.44	207.70	209.96	212.21	214.47	216.73	218.99	221.24	223.50	225.76	228.02	230.28	232.53	234.79	237.05
EB35 ASTM F512 20 FT BE	4"	88.31	89.28	90.25	91.22	92.19	93.16	94.13	95.10	96.07	97.04	98.01	98.98	99.95	100.92	101.89
	5"	130.53	131.96	133.40	134.83	136.27	137.70	139.14	140.57	142.01	143.44	144.87	146.31	147.74	149.18	150.61
	6"	189.50	191.58	193.66	195.75	197.83	199.91	201.99	204.08	206.16	208.24	210.32	212.40	214.49	216.57	218.65
TYPE C	4"	120.36	121.68	123.00	124.32	125.65	126.97	128.29	129.61	130.94	132.26	133.58	134.91	136.23	137.55	138.87
GTS-8342 20 FT BE	2"	37.51	37.92	38.33	38.75	39.16	39.57	39.98	40.40	40.81	41.22	41.63	42.04	42.46	42.87	43.28
	4"	123.09	124.44	125.79	127.14	128.50	129.85	131.20	132.55	133.91	135.26	136.61	137.97	139.32	140.67	142.02
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	29.65	29.97	30.30	30.63	30.95	31.28	31.60	31.93	32.25	32.58	32.91	33.23	33.56	33.88	34.21
	1.5"	52.96	53.54	54.13	54.71	55.29	55.87	56.45	57.04	57.62	58.20	58.78	59.36	59.95	60.53	61.11
	2"	65.50	66.22	66.94	67.66	68.38	69.10	69.82	70.54	71.26	71.98	72.70	73.42	74.14	74.86	75.58
	3"	130.93	132.37	133.81	135.25	136.69	138.12	139.56	141.00	142.44	143.88	145.32	146.76	148.20	149.64	151.07
	4"	182.40	184.40	186.41	188.41	190.42	192.42	194.43	196.43	198.44	200.44	202.44	204.45	206.45	208.46	210.46
	6"	325.96	329.54	333.13	336.71	340.29	343.87	347.45	351.04	354.62	358.20	361.78	365.36	368.95	372.53	376.11
	8"	504.98	510.53	516.08	521.62	527.17	532.72	538.27	543.82	549.37	554.92	560.47	566.02	571.57	577.12	582.67
	10"	727.53	735.52	743.52	751.51	759.51	767.50	775.50	783.49	791.49	799.48	807.47	815.47	823.46	831.46	839.45
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	118.23	119.53	120.83	122.12	123.42	124.72	126.02	127.32	128.62	129.92	131.22	132.52	133.82	135.12	136.42
	5"	184.97	187.00	189.03	191.06	193.10	195.13	197.16	199.19	201.23	203.26	205.29	207.33	209.36	211.39	213.42
	6"	270.76	273.74	276.71	279.69	282.66	285.64	288.61	291.59	294.56	297.54	300.52	303.49	306.47	309.44	312.42
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	17.20	17.39	17.58	17.77	17.96	18.14	18.33	18.52	18.71	18.90	19.09	19.28	19.47	19.66	19.85
	1.5"	26.37	26.66	26.95	27.24	27.53	27.82	28.11	28.40	28.69	28.98	29.27	29.56	29.85	30.14	30.43
	2"	35.13	35.51	35.90	36.28	36.67	37.06	37.44	37.83	38.21	38.60	38.99	39.37	39.76	40.14	40.53
	2.5"	53.27	53.86	54.44	55.03	55.61	56.20	56.78	57.37	57.95	58.54	59.13	59.71	60.30	60.88	61.47
	3"	78.39	79.25	80.11	80.97	81.83	82.69	83.56	84.42	85.28	86.14	87.00	87.86	88.72	89.59	90.45
	4"	128.06	129.46	130.87	132.28	133.68	135.09	136.50	137.91	139.31	140.72	142.13	143.53	144.94	146.35	147.76
EB35 (AZ)	5"	195.36	197.51	199.65	201.80	203.95	206.09	208.24	210.39	212.53	214.68	216.83	218.97	221.12	223.27	225.41
	5"	120.19	121.51	122.83	124.16	125.48	126.80	128.12	129.44	130.76	132.08	133.40	134.72	136.04	137.36	138.68

These are net prices. There is no need for a multiplier.