

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
DR14 AWWA C900 20 FT. Blue	4"	1.27	1.29	1.30	1.32	1.34	1.35	1.37	1.38	1.40	1.42	1.43	1.45	1.46	1.48	1.50
	6"	2.38	2.41	2.44	2.48	2.51	2.54	2.58	2.61	2.64	2.68	2.71	2.74	2.77	2.81	2.84
	8"	4.11	4.16	4.22	4.28	4.34	4.39	4.45	4.51	4.56	4.62	4.68	4.74	4.79	4.85	4.91
	10"	6.21	6.30	6.38	6.47	6.56	6.64	6.73	6.81	6.90	6.99	7.07	7.16	7.25	7.33	7.42
DR18 AWWA C900 20 FT. Blue	4"	0.98	1.00	1.01	1.02	1.03	1.05	1.06	1.07	1.08	1.10	1.11	1.12	1.13	1.15	1.16
	6"	1.88	1.91	1.93	1.96	1.99	2.01	2.04	2.06	2.09	2.12	2.14	2.17	2.19	2.22	2.25
	8"	3.25	3.30	3.34	3.39	3.44	3.48	3.53	3.57	3.62	3.66	3.71	3.75	3.80	3.84	3.89
	10"	4.92	4.99	5.06	5.12	5.19	5.26	5.33	5.40	5.47	5.53	5.60	5.67	5.74	5.81	5.88
DR25 AWWA C900 20 FT. Blue	4"	0.74	0.75	0.76	0.77	0.78	0.79	0.79	0.80	0.81	0.82	0.83	0.84	0.85	0.86	0.87
	6"	1.38	1.40	1.42	1.44	1.46	1.47	1.49	1.51	1.53	1.55	1.57	1.59	1.61	1.63	1.65
	8"	2.38	2.42	2.45	2.48	2.51	2.55	2.58	2.61	2.65	2.68	2.71	2.75	2.78	2.81	2.85
	10"	3.60	3.65	3.70	3.75	3.80	3.85	3.90	3.95	4.00	4.05	4.10	4.15	4.20	4.25	4.30
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27
	3"	0.44	0.44	0.45	0.46	0.46	0.47	0.47	0.48	0.49	0.49	0.50	0.50	0.51	0.51	0.52
	4"	0.71	0.72	0.73	0.74	0.74	0.75	0.76	0.77	0.78	0.79	0.80	0.81	0.82	0.83	0.84
	6"	1.50	1.52	1.54	1.56	1.58	1.60	1.62	1.64	1.66	1.69	1.71	1.73	1.75	1.77	1.79
	8"	2.54	2.58	2.61	2.65	2.68	2.72	2.75	2.79	2.82	2.86	2.89	2.93	2.96	3.00	3.04
	10"	3.95	4.01	4.06	4.12	4.17	4.23	4.28	4.34	4.39	4.45	4.50	4.56	4.61	4.67	4.72
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	3"	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.40	0.40	0.41	0.41	0.42	0.42	0.43	0.43
	4"	0.58	0.58	0.59	0.60	0.61	0.61	0.62	0.63	0.64	0.65	0.65	0.66	0.67	0.68	0.68
	6"	1.22	1.24	1.26	1.27	1.29	1.31	1.32	1.34	1.36	1.38	1.39	1.41	1.43	1.44	1.46
	8"	2.08	2.11	2.14	2.17	2.19	2.22	2.25	2.28	2.31	2.34	2.37	2.40	2.43	2.45	2.48
	10"	3.23	3.28	3.32	3.37	3.41	3.46	3.50	3.55	3.59	3.64	3.68	3.73	3.77	3.82	3.86
	12"	4.56	4.63	4.69	4.75	4.82	4.88	4.94	5.01	5.07	5.13	5.20	5.26	5.33	5.39	5.45
SDR35 ASTM D3034 14 & 20 FT. Green	4"	0.41	0.41	0.42	0.42	0.43	0.43	0.44	0.44	0.45	0.46	0.46	0.47	0.47	0.48	0.48
	6"	0.83	0.85	0.86	0.87	0.88	0.89	0.90	0.91	0.93	0.94	0.95	0.96	0.97	0.98	1.00
	8"	1.47	1.49	1.51	1.53	1.55	1.57	1.59	1.61	1.63	1.65	1.68	1.70	1.72	1.74	1.76
	10"	2.33	2.37	2.40	2.43	2.46	2.50	2.53	2.56	2.59	2.63	2.66	2.69	2.72	2.76	2.79
	15"	5.09	5.16	5.23	5.30	5.37	5.44	5.51	5.58	5.64	5.71	5.78	5.85	5.92	5.99	6.05
SDR26 ASTM D3034 14 FT. Green	4"	0.56	0.56	0.57	0.58	0.58	0.59	0.60	0.61	0.61	0.62	0.63	0.63	0.64	0.65	0.65
	6"	1.13	1.14	1.16	1.17	1.19	1.20	1.22	1.24	1.25	1.27	1.28	1.30	1.31	1.33	1.35
	8"	2.00	2.02	2.05	2.08	2.11	2.14	2.16	2.19	2.22	2.25	2.28	2.30	2.33	2.36	2.39
	10"	3.17	3.22	3.26	3.31	3.35	3.39	3.44	3.48	3.53	3.57	3.61	3.66	3.70	3.75	3.79
	12"	4.51	4.57	4.64	4.70	4.76	4.82	4.89	4.95	5.01	5.08	5.14	5.20	5.26	5.33	5.39
	15"	6.91	7.00	7.10	7.19	7.29	7.38	7.48	7.57	7.67	7.76	7.85	7.95	8.04	8.14	8.23

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
DR14 AWWA C900 20 FT. Blue	4"	1.51	1.53	1.54	1.56	1.58	1.59	1.61	1.62	1.64	1.65	1.67	1.69	1.70	1.72	1.73
	6"	2.87	2.91	2.94	2.97	3.01	3.04	3.07	3.10	3.14	3.17	3.20	3.24	3.27	3.30	3.34
	8"	4.96	5.02	5.08	5.13	5.19	5.25	5.31	5.36	5.42	5.48	5.53	5.59	5.65	5.71	5.76
	10"	7.50	7.59	7.68	7.76	7.85	7.94	8.02	8.11	8.19	8.28	8.37	8.45	8.54	8.63	8.71
DR18 AWWA C900 20 FT. Blue	12"	10.64	10.76	10.88	11.00	11.12	11.25	11.37	11.49	11.61	11.74	11.86	11.98	12.10	12.23	12.35
	4"	1.17	1.19	1.20	1.21	1.22	1.24	1.25	1.26	1.27	1.29	1.30	1.31	1.32	1.34	1.35
	6"	2.27	2.30	2.33	2.35	2.38	2.40	2.43	2.46	2.48	2.51	2.53	2.56	2.59	2.61	2.64
	8"	3.93	3.98	4.02	4.07	4.11	4.16	4.20	4.25	4.29	4.34	4.38	4.43	4.47	4.52	4.57
DR25 AWWA C900 20 FT. Blue	10"	5.94	6.01	6.08	6.15	6.22	6.29	6.35	6.42	6.49	6.56	6.63	6.70	6.76	6.83	6.90
	12"	8.42	8.52	8.61	8.71	8.81	8.90	9.00	9.10	9.19	9.29	9.39	9.48	9.53	9.68	9.77
	4"	0.88	0.89	0.90	0.91	0.91	0.92	0.93	0.94	0.95	0.96	0.97	0.98	0.99	1.00	1.01
	6"	1.67	1.69	1.70	1.72	1.74	1.76	1.78	1.80	1.82	1.84	1.86	1.88	1.90	1.92	1.93
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	8"	2.88	2.91	2.95	2.98	3.01	3.04	3.08	3.11	3.14	3.18	3.21	3.24	3.28	3.31	3.34
	10"	4.35	4.40	4.45	4.50	4.55	4.60	4.65	4.70	4.75	4.80	4.85	4.90	4.95	5.00	5.05
	12"	6.17	6.24	6.31	6.38	6.45	6.52	6.59	6.66	6.74	6.81	6.88	6.95	7.02	7.09	7.16
	2"	0.27	0.27	0.27	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.30	0.30	0.30	0.30	0.31
	3"	0.53	0.53	0.54	0.54	0.55	0.55	0.56	0.57	0.57	0.58	0.58	0.59	0.59	0.60	0.61
	4"	0.85	0.86	0.87	0.88	0.89	0.90	0.91	0.92	0.93	0.94	0.94	0.95	0.96	0.97	0.98
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	6"	1.81	1.83	1.85	1.87	1.89	1.91	1.94	1.96	1.98	2.00	2.02	2.04	2.06	2.08	2.10
	8"	3.07	3.11	3.14	3.18	3.21	3.25	3.28	3.32	3.35	3.39	3.42	3.46	3.49	3.53	3.56
	10"	4.78	4.83	4.89	4.94	5.00	5.05	5.11	5.16	5.22	5.27	5.33	5.38	5.44	5.49	5.55
	12"	6.75	6.83	6.91	6.99	7.06	7.14	7.22	7.30	7.37	7.45	7.53	7.61	7.63	7.76	7.84
	3"	0.43	0.44	0.44	0.45	0.45	0.46	0.46	0.47	0.47	0.48	0.48	0.49	0.49	0.50	0.50
	4"	0.69	0.70	0.71	0.72	0.72	0.73	0.74	0.75	0.75	0.76	0.77	0.78	0.79	0.79	0.80
SDR35 ASTM D3034 14 & 20 FT. Green	6"	1.48	1.49	1.51	1.53	1.55	1.56	1.58	1.60	1.61	1.63	1.65	1.66	1.68	1.70	1.71
	8"	2.51	2.54	2.57	2.60	2.63	2.66	2.69	2.71	2.74	2.77	2.80	2.83	2.86	2.89	2.92
	10"	3.90	3.95	3.99	4.04	4.08	4.13	4.17	4.22	4.26	4.31	4.35	4.40	4.44	4.49	4.53
	12"	5.52	5.58	5.64	5.71	5.77	5.83	5.90	5.96	6.02	6.09	6.15	6.21	6.28	6.34	6.40
SDR35 ASTM D3034 14 & 20 FT. Green	4"	0.49	0.49	0.50	0.50	0.51	0.51	0.52	0.52	0.53	0.53	0.54	0.54	0.55	0.55	0.56
	6"	1.01	1.02	1.03	1.04	1.05	1.06	1.08	1.09	1.10	1.11	1.12	1.13	1.15	1.16	1.17
	8"	1.78	1.80	1.82	1.84	1.86	1.88	1.90	1.92	1.94	1.96	1.99	2.01	2.03	2.05	2.07
	10"	2.82	2.85	2.89	2.92	2.95	2.98	3.02	3.05	3.08	3.11	3.15	3.18	3.21	3.24	3.27
	12"	4.04	4.09	4.13	4.18	4.23	4.27	4.32	4.37	4.41	4.46	4.51	4.55	4.60	4.65	4.69
SDR26 ASTM D3034 14 FT. Green	15"	6.13	6.20	6.27	6.34	6.41	6.48	6.55	6.62	6.69	6.76	6.83	6.90	6.97	7.04	7.11
	4"	0.66	0.67	0.68	0.68	0.69	0.70	0.70	0.71	0.72	0.72	0.73	0.74	0.75	0.75	0.76
	6"	1.36	1.38	1.39	1.41	1.42	1.44	1.45	1.47	1.49	1.50	1.52	1.53	1.55	1.56	1.58
	8"	2.42	2.45	2.47	2.50	2.53	2.56	2.59	2.61	2.64	2.67	2.70	2.73	2.75	2.78	2.81
	10"	3.83	3.88	3.92	3.97	4.01	4.05	4.10	4.14	4.19	4.23	4.28	4.32	4.36	4.41	4.45
SDR26 ASTM D3034 14 FT. Green	12"	5.45	5.51	5.58	5.64	5.70	5.76	5.83	5.89	5.95	6.02	6.08	6.14	6.20	6.27	6.33
	15"	8.33	8.42	8.52	8.61	8.71	8.80	8.90	8.99	9.08	9.18	9.27	9.37	9.46	9.56	9.65

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55
DR14 AWWA C900 20 FT. Blue	4"	1.75	1.77	1.78	1.80	1.82	1.84	1.85	1.89	1.90	1.92	1.93	1.95	1.97	1.98	2.00
	6"	3.37	3.40	3.43	3.47	3.52	3.56	3.59	3.62	3.66	3.69	3.72	3.75	3.79	3.82	3.85
	8"	5.82	5.88	5.93	5.99	6.05	6.11	6.17	6.22	6.28	6.34	6.39	6.45	6.51	6.57	6.62
	10"	8.80	8.88	8.97	9.06	9.23	9.32	9.41	9.49	9.58	9.67	9.75	9.84	9.92	10.01	10.10
DR18 AWWA C900 20 FT. Blue	4"	1.36	1.37	1.39	1.40	1.42	1.43	1.44	1.46	1.48	1.50	1.51	1.53	1.54	1.56	1.57
	6"	2.67	2.69	2.72	2.74	2.78	2.81	2.84	2.86	2.89	2.93	2.97	2.99	3.02	3.05	3.07
	8"	4.61	4.66	4.70	4.75	4.80	4.84	4.89	4.93	4.98	5.02	5.07	5.11	5.16	5.20	5.25
	10"	6.97	7.04	7.11	7.17	7.31	7.38	7.45	7.52	7.58	7.65	7.72	7.79	7.86	7.93	7.99
DR25 AWWA C900 20 FT. Blue	4"	1.02	1.02	1.03	1.04	1.05	1.05	1.06	1.07	1.08	1.10	1.11	1.12	1.13	1.14	1.15
	6"	1.95	1.97	1.99	2.01	2.04	2.06	2.08	2.10	2.12	2.14	2.16	2.18	2.19	2.21	2.23
	8"	3.38	3.41	3.44	3.47	3.51	3.54	3.58	3.61	3.64	3.68	3.71	3.74	3.78	3.81	3.84
	10"	5.10	5.15	5.20	5.25	5.30	5.35	5.40	5.45	5.50	5.55	5.60	5.65	5.70	5.75	5.80
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.31	0.31	0.31	0.32	0.32	0.32	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.35	0.35
	3"	0.61	0.62	0.62	0.63	0.64	0.64	0.65	0.65	0.66	0.66	0.67	0.68	0.68	0.69	0.69
	4"	0.99	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.10	1.11	1.11	1.12	1.13
	6"	2.12	2.14	2.16	2.19	2.20	2.23	2.25	2.27	2.29	2.31	2.33	2.35	2.37	2.39	2.41
	8"	3.60	3.64	3.67	3.71	3.74	3.78	3.80	3.84	3.87	3.91	3.94	3.98	4.01	4.05	4.08
	10"	5.60	5.66	5.71	5.77	5.81	5.86	5.92	5.97	6.02	6.08	6.13	6.18	6.27	6.30	6.35
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	3"	0.51	0.51	0.52	0.52	0.52	0.53	0.53	0.54	0.54	0.55	0.55	0.56	0.56	0.57	0.57
	4"	0.81	0.82	0.82	0.83	0.84	0.85	0.86	0.86	0.87	0.88	0.89	0.90	0.90	0.91	0.92
	6"	1.73	1.75	1.77	1.78	1.81	1.83	1.85	1.86	1.88	1.90	1.91	1.93	1.95	1.96	1.98
	8"	2.95	2.97	3.00	3.03	3.08	3.11	3.14	3.17	3.19	3.22	3.25	3.28	3.31	3.34	3.36
	10"	4.58	4.62	4.67	4.71	4.78	4.83	4.87	4.91	4.96	5.00	5.05	5.09	5.13	5.18	5.22
	12"	6.47	6.53	6.59	6.66	6.74	6.80	6.87	6.93	6.99	7.05	7.11	7.17	7.27	7.30	7.36
SDR35 ASTM D3034 14 & 20 FT. Green	4"	0.56	0.57	0.57	0.58	0.59	0.60	0.60	0.61	0.61	0.62	0.62	0.63	0.63	0.64	0.64
	6"	1.18	1.19	1.20	1.21	1.23	1.24	1.26	1.27	1.28	1.30	1.32	1.33	1.34	1.35	1.37
	8"	2.09	2.11	2.13	2.15	2.21	2.23	2.25	2.27	2.30	2.32	2.34	2.36	2.38	2.41	2.45
	10"	3.31	3.34	3.37	3.40	3.43	3.50	3.53	3.56	3.60	3.63	3.67	3.70	3.74	3.77	3.84
	12"	4.74	4.78	4.83	4.88	4.97	5.02	5.07	5.12	5.17	5.22	5.26	5.31	5.36	5.41	5.51
SDR26 ASTM D3034 14 FT. Green	4"	0.77	0.77	0.78	0.79	0.80	0.80	0.81	0.82	0.82	0.83	0.84	0.85	0.85	0.86	0.87
	6"	1.60	1.61	1.63	1.64	1.65	1.66	1.68	1.70	1.72	1.73	1.75	1.76	1.78	1.79	1.81
	8"	2.84	2.87	2.89	2.92	2.94	3.00	3.03	3.06	3.09	3.12	3.15	3.18	3.21	3.23	3.26
	10"	4.50	4.54	4.58	4.63	4.67	4.70	4.75	4.80	4.84	4.89	4.93	4.98	5.03	5.07	5.12
	12"	6.39	6.45	6.52	6.58	6.64	6.70	6.77	6.83	6.90	6.96	7.03	7.10	7.16	7.23	7.29
	15"	9.75	9.84	9.94	10.03	10.13	10.24	10.34	10.44	10.54	10.63	10.73	10.83	10.93	11.03	11.13

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70
DR14 AWWA C900 20 FT. Blue	4"	2.01	2.03	2.05	2.06	2.08	2.09	2.11	2.14	2.16	2.18	2.19	2.21	2.22	2.24	2.26
	6"	3.89	3.92	3.95	3.99	4.02	4.05	4.08	4.12	4.15	4.19	4.22	4.25	4.29	4.32	4.35
	8"	6.68	6.74	6.80	6.85	6.91	6.97	7.02	7.08	7.14	7.20	7.25	7.31	7.37	7.42	7.48
	10"	10.18	10.27	10.36	10.44	10.53	10.61	10.70	10.79	10.87	10.96	11.05	11.13	11.22	11.31	11.39
	12"	14.36	14.49	14.61	14.73	14.85	14.98	15.10	15.22	15.34	15.47	15.59	15.71	15.84	15.96	16.08
DR18 AWWA C900 20 FT. Blue	4"	1.58	1.60	1.61	1.62	1.63	1.65	1.66	1.67	1.68	1.70	1.71	1.72	1.74	1.75	1.76
	6"	3.10	3.13	3.15	3.18	3.20	3.23	3.26	3.28	3.31	3.34	3.36	3.39	3.41	3.44	3.47
	8"	5.29	5.34	5.38	5.43	5.47	5.52	5.56	5.60	5.65	5.69	5.74	5.78	5.83	5.87	5.92
	10"	8.06	8.13	8.20	8.27	8.34	8.40	8.47	8.54	8.61	8.68	8.75	8.81	8.88	8.95	9.02
	12"	11.36	11.46	11.56	11.65	11.75	11.85	11.94	12.04	12.14	12.24	12.33	12.43	12.53	12.62	12.72
DR25 AWWA C900 20 FT. Blue	4"	1.16	1.17	1.18	1.18	1.19	1.20	1.21	1.22	1.23	1.24	1.25	1.26	1.27	1.28	1.29
	6"	2.25	2.27	2.29	2.31	2.33	2.35	2.37	2.39	2.41	2.43	2.44	2.46	2.48	2.50	2.52
	8"	3.87	3.91	3.94	3.97	4.01	4.04	4.07	4.11	4.14	4.17	4.21	4.24	4.27	4.30	4.34
	10"	5.85	5.90	5.95	6.00	6.05	6.10	6.15	6.20	6.25	6.30	6.35	6.40	6.45	6.50	6.55
	12"	8.27	8.34	8.41	8.49	8.56	8.63	8.70	8.77	8.84	8.91	8.98	9.05	9.12	9.19	9.26
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.35	0.35	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.38	0.38	0.38	0.38	0.39
	3"	0.70	0.70	0.71	0.72	0.72	0.73	0.73	0.74	0.74	0.75	0.76	0.76	0.77	0.77	0.78
	4"	1.14	1.15	1.16	1.18	1.19	1.20	1.21	1.22	1.23	1.24	1.25	1.26	1.26	1.27	1.28
	6"	2.43	2.45	2.47	2.49	2.51	2.53	2.55	2.57	2.59	2.61	2.63	2.65	2.67	2.69	2.71
	8"	4.12	4.15	4.18	4.22	4.25	4.29	4.32	4.36	4.39	4.43	4.46	4.50	4.53	4.57	4.60
	10"	6.40	6.45	6.51	6.56	6.61	6.67	6.72	6.78	6.83	6.88	6.94	6.99	7.04	7.10	7.15
	12"	9.02	9.09	9.17	9.24	9.32	9.39	9.47	9.55	9.62	9.70	9.77	9.85	9.93	10.00	10.08
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	3"	0.57	0.58	0.58	0.59	0.59	0.60	0.60	0.61	0.62	0.62	0.63	0.63	0.64	0.64	0.64
	4"	0.93	0.93	0.94	0.95	0.96	0.96	0.97	0.98	0.99	1.00	1.00	1.01	1.02	1.03	1.03
	6"	2.00	2.01	2.03	2.05	2.06	2.08	2.09	2.11	2.13	2.15	2.16	2.18	2.20	2.21	2.23
	8"	3.39	3.42	3.45	3.48	3.50	3.53	3.56	3.59	3.62	3.65	3.67	3.70	3.73	3.76	3.79
	10"	5.27	5.31	5.35	5.40	5.44	5.48	5.53	5.57	5.62	5.66	5.70	5.75	5.79	5.84	5.88
	12"	7.42	7.48	7.55	7.61	7.67	7.73	7.79	7.85	7.92	7.98	8.04	8.10	8.16	8.23	8.29
SDR35 ASTM D3034 14 & 20 FT. Green	4"	0.65	0.66	0.66	0.67	0.67	0.68	0.68	0.69	0.69	0.70	0.70	0.71	0.71	0.72	0.72
	6"	1.38	1.39	1.40	1.42	1.43	1.44	1.45	1.46	1.48	1.49	1.50	1.51	1.53	1.54	1.55
	8"	2.47	2.49	2.52	2.54	2.56	2.58	2.60	2.63	2.65	2.67	2.69	2.72	2.74	2.76	2.78
	10"	3.88	3.91	3.94	3.98	4.01	4.05	4.08	4.12	4.15	4.19	4.22	4.26	4.29	4.32	4.36
	12"	5.56	5.61	5.66	5.71	5.76	5.81	5.86	5.91	5.96	6.01	6.06	6.11	6.16	6.21	6.26
	15"	8.28	8.35	8.43	8.50	8.57	8.65	8.72	8.80	8.87	8.94	9.02	9.09	9.16	9.24	9.31
SDR26 ASTM D3034 14 FT. Green	4"	0.87	0.88	0.89	0.89	0.90	0.91	0.91	0.92	0.93	0.94	0.94	0.95	0.96	0.96	0.97
	6"	1.83	1.84	1.86	1.88	1.89	1.91	1.93	1.94	1.96	1.97	1.99	2.01	2.02	2.04	2.06
	8"	3.29	3.32	3.35	3.38	3.41	3.44	3.47	3.50	3.53	3.56	3.59	3.62	3.65	3.68	3.71
	10"	5.17	5.21	5.26	5.30	5.35	5.40	5.44	5.49	5.53	5.58	5.63	5.67	5.72	5.76	5.81
	12"	7.36	7.42	7.49	7.56	7.62	7.69	7.75	7.82	7.88	7.95	8.02	8.08	8.15	8.21	8.28
	15"	11.22	11.32	11.42	11.52	11.62	11.72	11.82	11.91	12.01	12.11	12.21	12.31	12.41	12.50	12.60

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
DR14 AWWA C900 20 FT. Blue	4"	2.27	2.29	2.30	2.32	2.34	2.35	2.37	2.38	2.40	2.42	2.43	2.45	2.47	2.48	2.50
	6"	4.39	4.42	4.45	4.49	4.52	4.55	4.59	4.62	4.65	4.69	4.72	4.75	4.78	4.82	4.85
	8"	7.54	7.60	7.65	7.71	7.77	7.82	7.88	7.94	8.00	8.05	8.11	8.17	8.22	8.28	8.34
	10"	11.48	11.56	11.65	11.74	11.82	11.91	12.00	12.08	12.17	12.25	12.34	12.43	12.51	12.60	12.69
	12"	16.20	16.33	16.45	16.57	16.70	16.82	16.94	17.06	17.19	17.31	17.43	17.55	17.68	17.80	17.92
DR18 AWWA C900 20 FT. Blue	4"	1.77	1.79	1.80	1.81	1.83	1.84	1.85	1.86	1.88	1.89	1.90	1.91	1.93	1.94	1.95
	6"	3.49	3.52	3.55	3.57	3.60	3.63	3.65	3.68	3.70	3.73	3.76	3.78	3.81	3.84	3.86
	8"	6.06	6.11	6.15	6.20	6.24	6.29	6.33	6.38	6.42	6.47	6.52	6.56	6.61	6.65	6.70
	10"	9.09	9.16	9.22	9.29	9.36	9.43	9.50	9.57	9.63	9.70	9.77	9.84	9.91	9.98	10.04
	12"	12.82	12.92	13.01	13.11	13.21	13.30	13.40	13.50	13.60	13.69	13.79	13.89	13.98	14.08	14.18
DR25 AWWA C900 20 FT. Blue	4"	1.30	1.31	1.32	1.33	1.33	1.34	1.35	1.36	1.37	1.38	1.39	1.40	1.41	1.42	1.43
	6"	2.54	2.56	2.58	2.60	2.62	2.64	2.66	2.68	2.69	2.71	2.73	2.75	2.77	2.79	2.81
	8"	4.37	4.40	4.44	4.47	4.50	4.54	4.57	4.60	4.64	4.67	4.70	4.74	4.77	4.80	4.83
	10"	6.60	6.65	6.70	6.75	6.80	6.85	6.90	6.95	7.00	7.05	7.10	7.15	7.20	7.25	7.30
	12"	9.33	9.40	9.48	9.55	9.62	9.69	9.76	9.83	9.90	9.97	10.04	10.11	10.18	10.25	10.32
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.39	0.39	0.40	0.40	0.40	0.40	0.41	0.41	0.41	0.41	0.42	0.42	0.42	0.43	0.43
	3"	0.78	0.79	0.80	0.80	0.81	0.81	0.82	0.82	0.83	0.84	0.84	0.85	0.85	0.86	0.86
	4"	1.29	1.30	1.31	1.32	1.33	1.34	1.35	1.36	1.37	1.38	1.39	1.40	1.41	1.41	1.42
	6"	2.73	2.76	2.78	2.80	2.82	2.84	2.86	2.88	2.90	2.92	2.94	2.96	2.98	3.00	3.02
	8"	4.63	4.67	4.70	4.74	4.77	4.81	4.84	4.88	4.91	4.95	4.98	5.01	5.05	5.08	5.12
	10"	7.21	7.26	7.31	7.37	7.42	7.47	7.53	7.58	7.64	7.69	7.74	7.80	7.85	7.90	7.96
	12"	10.15	10.23	10.30	10.38	10.46	10.53	10.61	10.68	10.76	10.83	10.91	10.99	11.06	11.14	11.21
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	3"	0.65	0.65	0.66	0.66	0.67	0.67	0.68	0.68	0.69	0.69	0.70	0.70	0.71	0.71	0.72
	4"	1.04	1.05	1.06	1.07	1.07	1.08	1.09	1.10	1.10	1.11	1.13	1.13	1.13	1.14	1.15
	6"	2.24	2.26	2.28	2.29	2.31	2.33	2.34	2.36	2.38	2.39	2.41	2.43	2.44	2.46	2.48
	8"	3.82	3.84	3.87	3.90	3.93	3.96	3.99	4.01	4.04	4.07	4.10	4.13	4.16	4.18	4.21
	10"	5.92	5.97	6.01	6.06	6.10	6.14	6.19	6.23	6.27	6.32	6.36	6.41	6.45	6.49	6.54
	12"	8.35	8.41	8.47	8.54	8.60	8.66	8.72	8.78	8.84	8.91	8.97	9.03	9.09	9.15	9.22
SDR35 ASTM D3034 14 & 20 FT. Green	4"	0.73	0.74	0.74	0.75	0.75	0.76	0.76	0.77	0.77	0.78	0.78	0.79	0.79	0.80	0.80
	6"	1.56	1.58	1.59	1.60	1.61	1.62	1.64	1.65	1.66	1.67	1.69	1.70	1.71	1.72	1.74
	8"	2.80	2.83	2.85	2.87	2.89	2.91	2.94	2.96	2.98	3.00	3.02	3.05	3.07	3.09	3.11
	10"	4.39	4.43	4.46	4.50	4.53	4.57	4.60	4.64	4.67	4.71	4.74	4.77	4.81	4.84	4.88
	12"	6.31	6.36	6.41	6.46	6.51	6.56	6.61	6.66	6.71	6.75	6.80	6.85	6.90	6.95	7.00
	15"	9.39	9.46	9.53	9.61	9.68	9.76	9.83	9.90	9.98	10.05	10.13	10.20	10.27	10.35	10.42
SDR26 ASTM D3034 14 FT. Green	4"	0.98	0.98	0.99	1.00	1.01	1.01	1.02	1.03	1.03	1.04	1.05	1.05	1.06	1.07	1.08
	6"	2.07	2.09	2.10	2.12	2.14	2.15	2.17	2.19	2.20	2.22	2.24	2.25	2.27	2.28	2.30
	8"	3.73	3.76	3.79	3.82	3.85	3.88	3.91	3.94	3.97	4.00	4.03	4.06	4.09	4.12	4.15
	10"	5.86	5.90	5.95	6.00	6.04	6.09	6.13	6.18	6.23	6.27	6.32	6.36	6.41	6.46	6.50
	12"	8.34	8.41	8.48	8.54	8.61	8.67	8.74	8.80	8.87	8.94	9.00	9.07	9.13	9.20	9.26
	15"	12.70	12.80	12.90	13.00	13.10	13.19	13.29	13.39	13.49	13.58	13.69	13.78	13.88	13.98	14.08

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
DR14 AWWA C900 20 FT. Blue	4"	2.51	2.53	2.55	2.56	2.58	2.59	2.61	2.63	2.64	2.66	2.67	2.69	2.71	2.72	2.74
	6"	4.88	4.92	4.95	4.98	5.02	5.05	5.08	5.12	5.15	5.18	5.22	5.25	5.28	5.32	5.35
	8"	8.39	8.45	8.51	8.57	8.62	8.68	8.74	8.79	8.85	8.91	8.97	9.02	9.08	9.14	9.19
	10"	12.77	12.86	12.94	13.03	13.12	13.20	13.29	13.38	13.46	13.55	13.64	13.72	13.81	13.89	13.98
DR18 AWWA C900 20 FT. Blue	4"	1.97	1.98	1.99	2.00	2.02	2.03	2.04	2.05	2.07	2.08	2.09	2.11	2.12	2.13	2.14
	6"	3.89	3.91	3.94	3.97	3.99	4.02	4.05	4.07	4.10	4.12	4.15	4.18	4.20	4.23	4.26
	8"	6.74	6.79	6.83	6.88	6.92	6.97	7.01	7.06	7.10	7.15	7.19	7.24	7.28	7.33	7.37
	10"	10.11	10.18	10.25	10.32	10.39	10.45	10.52	10.59	10.66	10.73	10.80	10.86	10.93	11.00	11.07
DR25 AWWA C900 20 FT. Blue	4"	1.44	1.45	1.46	1.47	1.47	1.48	1.49	1.50	1.51	1.52	1.53	1.54	1.55	1.56	1.57
	6"	2.83	2.85	2.87	2.89	2.91	2.93	2.94	2.96	2.98	3.00	3.02	3.04	3.06	3.08	3.10
	8"	4.87	4.90	4.93	4.97	5.00	5.03	5.07	5.10	5.13	5.17	5.20	5.23	5.26	5.30	5.33
	10"	7.35	7.40	7.45	7.50	7.55	7.60	7.65	7.70	7.75	7.80	7.85	7.90	7.95	8.00	8.05
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.43	0.43	0.44	0.44	0.44	0.44	0.45	0.45	0.45	0.45	0.46	0.46	0.46	0.47	0.47
	3"	0.87	0.88	0.88	0.89	0.89	0.90	0.91	0.91	0.92	0.92	0.93	0.93	0.94	0.95	0.95
	4"	1.43	1.44	1.45	1.46	1.47	1.48	1.49	1.50	1.51	1.52	1.53	1.54	1.55	1.56	1.56
	6"	3.04	3.06	3.08	3.10	3.12	3.14	3.16	3.18	3.20	3.22	3.24	3.27	3.29	3.31	3.33
	8"	5.15	5.19	5.22	5.26	5.29	5.33	5.36	5.39	5.43	5.46	5.50	5.53	5.57	5.60	5.64
	10"	8.01	8.07	8.12	8.17	8.23	8.28	8.33	8.39	8.44	8.50	8.55	8.60	8.66	8.71	8.77
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	12"	11.29	11.36	11.44	11.52	11.59	11.67	11.74	11.82	11.89	11.97	12.05	12.12	12.20	12.27	12.35
	3"	0.72	0.72	0.73	0.73	0.74	0.74	0.75	0.75	0.76	0.76	0.77	0.77	0.78	0.78	0.79
	4"	1.16	1.17	1.17	1.18	1.19	1.20	1.20	1.21	1.22	1.23	1.23	1.24	1.25	1.26	1.27
	6"	2.49	2.51	2.53	2.54	2.56	2.58	2.59	2.61	2.63	2.64	2.66	2.68	2.69	2.71	2.73
	8"	4.24	4.27	4.30	4.33	4.35	4.38	4.41	4.44	4.47	4.49	4.52	4.55	4.58	4.61	4.64
SDR35 ASTM D3034 14 & 20 FT. Green	10"	6.58	6.63	6.67	6.71	6.76	6.80	6.85	6.89	6.93	6.98	7.02	7.06	7.11	7.15	7.20
	12"	9.28	9.34	9.40	9.46	9.52	9.59	9.65	9.71	9.77	9.83	9.90	9.96	10.02	10.08	10.14
	4"	0.81	0.82	0.82	0.83	0.83	0.84	0.84	0.85	0.85	0.86	0.86	0.87	0.87	0.88	0.88
	6"	1.75	1.76	1.77	1.78	1.80	1.81	1.82	1.83	1.85	1.86	1.87	1.88	1.90	1.91	1.92
	8"	3.13	3.16	3.18	3.20	3.22	3.24	3.27	3.29	3.31	3.33	3.36	3.38	3.40	3.42	3.44
SDR26 ASTM D3034 14 FT. Green	10"	4.91	4.95	4.98	5.02	5.05	5.09	5.12	5.16	5.19	5.22	5.26	5.29	5.33	5.36	5.40
	12"	7.05	7.10	7.15	7.20	7.25	7.30	7.35	7.40	7.45	7.50	7.55	7.60	7.65	7.70	7.75
	15"	10.50	10.57	10.64	10.72	10.79	10.86	10.94	11.01	11.09	11.16	11.23	11.31	11.38	11.46	11.53
	4"	1.08	1.09	1.10	1.10	1.11	1.12	1.13	1.13	1.14	1.15	1.15	1.16	1.17	1.17	1.18
	6"	2.32	2.33	2.35	2.37	2.38	2.40	2.42	2.43	2.45	2.46	2.48	2.50	2.51	2.53	2.55
	8"	4.18	4.20	4.23	4.26	4.29	4.32	4.35	4.38	4.41	4.44	4.47	4.50	4.53	4.56	4.59
	10"	6.55	6.59	6.64	6.69	6.73	6.78	6.83	6.87	6.92	6.96	7.01	7.06	7.10	7.15	7.19
	12"	9.33	9.40	9.46	9.53	9.59	9.66	9.72	9.79	9.86	9.92	9.99	10.05	10.12	10.18	10.25
	15"	14.18	14.28	14.37	14.47	14.57	14.67	14.77	14.87	14.97	15.06	15.16	15.26	15.36	15.46	15.56

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115
DR14 AWWA C900 20 FT. Blue	4"	2.76	2.77	2.79	2.81	2.82	2.84	2.85	2.87	2.89	2.90	2.92	2.94	2.95	2.97	2.99
	6"	5.38	5.42	5.45	5.48	5.52	5.55	5.58	5.62	5.65	5.68	5.72	5.75	5.78	5.82	5.85
	8"	9.25	9.30	9.36	9.42	9.48	9.53	9.59	9.65	9.70	9.76	9.82	9.88	9.93	9.99	10.05
	10"	14.07	14.15	14.24	14.33	14.42	14.50	14.59	14.68	14.77	14.85	14.94	15.03	15.11	15.20	15.29
DR18 AWWA C900 20 FT. Blue	4"	2.16	2.17	2.18	2.20	2.21	2.22	2.24	2.25	2.26	2.27	2.29	2.30	2.31	2.33	2.34
	6"	4.29	4.31	4.34	4.37	4.39	4.42	4.45	4.47	4.50	4.53	4.55	4.58	4.61	4.63	4.66
	8"	7.42	7.46	7.51	7.56	7.60	7.65	7.69	7.74	7.79	7.83	7.88	7.92	7.97	8.02	8.06
	10"	11.14	11.21	11.28	11.35	11.42	11.48	11.55	11.62	11.69	11.76	11.83	11.90	11.97	12.04	12.11
DR25 AWWA C900 20 FT. Blue	4"	1.58	1.59	1.59	1.60	1.61	1.62	1.63	1.64	1.65	1.66	1.67	1.68	1.68	1.69	1.70
	6"	3.12	3.14	3.16	3.18	3.20	3.22	3.24	3.26	3.28	3.30	3.32	3.34	3.36	3.38	3.40
	8"	5.36	5.39	5.42	5.45	5.48	5.51	5.54	5.57	5.60	5.63	5.68	5.71	5.74	5.77	5.80
	10"	8.10	8.15	8.20	8.25	8.30	8.35	8.40	8.45	8.50	8.55	8.60	8.65	8.70	8.75	8.80
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.47	0.47	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.51	0.51
	3"	0.96	0.96	0.97	0.97	0.98	0.98	0.99	1.00	1.00	1.01	1.01	1.02	1.03	1.03	1.04
	4"	1.57	1.58	1.59	1.60	1.61	1.62	1.63	1.64	1.65	1.66	1.67	1.68	1.69	1.70	1.71
	6"	3.35	3.37	3.39	3.41	3.43	3.45	3.47	3.50	3.52	3.54	3.56	3.58	3.60	3.62	3.64
	8"	5.68	5.71	5.75	5.78	5.81	5.85	5.88	5.92	5.95	5.99	6.02	6.06	6.09	6.13	6.16
	10"	8.82	8.88	8.93	8.99	9.04	9.10	9.15	9.20	9.26	9.31	9.37	9.42	9.47	9.53	9.58
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	3"	0.79	0.79	0.80	0.80	0.81	0.81	0.82	0.82	0.83	0.83	0.84	0.84	0.85	0.85	0.86
	4"	1.27	1.28	1.29	1.30	1.30	1.31	1.32	1.33	1.34	1.34	1.35	1.36	1.37	1.37	1.38
	6"	2.75	2.76	2.78	2.80	2.82	2.83	2.85	2.87	2.88	2.90	2.92	2.93	2.95	2.97	2.99
	8"	4.67	4.70	4.73	4.76	4.78	4.81	4.84	4.87	4.90	4.93	4.96	4.99	5.01	5.04	5.07
	10"	7.25	7.29	7.33	7.38	7.42	7.47	7.51	7.56	7.60	7.65	7.69	7.74	7.78	7.83	7.87
SDR35 ASTM D3034 14 & 20 FT. Green	12"	10.20	10.27	10.33	10.39	10.45	10.52	10.58	10.64	10.71	10.77	10.83	10.89	10.96	11.02	11.08
	4"	0.89	0.90	0.90	0.91	0.91	0.92	0.92	0.93	0.93	0.94	0.94	0.95	0.95	0.96	0.96
	6"	1.93	1.94	1.96	1.97	1.98	1.99	2.01	2.02	2.03	2.04	2.05	2.07	2.08	2.09	2.10
	8"	3.46	3.48	3.51	3.53	3.55	3.57	3.59	3.62	3.64	3.66	3.68	3.70	3.73	3.75	3.77
	10"	5.43	5.47	5.50	5.54	5.57	5.61	5.64	5.67	5.71	5.74	5.78	5.81	5.84	5.88	5.91
SDR26 ASTM D3034 14 FT. Green	12"	7.80	7.85	7.90	7.95	8.00	8.05	8.09	8.14	8.19	8.24	8.29	8.34	8.39	8.44	8.49
	15"	11.60	11.67	11.75	11.82	11.89	11.96	12.04	12.11	12.18	12.25	12.32	12.40	12.47	12.54	12.61
	4"	1.19	1.19	1.20	1.21	1.22	1.22	1.23	1.24	1.24	1.25	1.26	1.26	1.27	1.28	1.29
	6"	2.56	2.58	2.59	2.61	2.63	2.64	2.66	2.67	2.69	2.71	2.72	2.74	2.75	2.77	2.79
	8"	4.62	4.65	4.68	4.71	4.74	4.76	4.79	4.82	4.85	4.88	4.91	4.94	4.97	5.00	5.03
	10"	7.24	7.28	7.33	7.37	7.42	7.46	7.51	7.55	7.60	7.64	7.69	7.73	7.78	7.82	7.87
	12"	10.31	10.38	10.44	10.51	10.57	10.64	10.70	10.77	10.83	10.90	10.96	11.03	11.09	11.16	11.22
	15"	15.66	15.75	15.85	15.95	16.05	16.14	16.24	16.34	16.43	16.53	16.63	16.72	16.82	16.92	17.02

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130
DR14 AWWA C900 20 FT. Blue	4"	3.00	3.02	3.04	3.05	3.07	3.08	3.10	3.12	3.13	3.15	3.16	3.18	3.20	3.21	3.23
	6"	5.88	5.92	5.95	5.98	6.02	6.05	6.08	6.12	6.15	6.18	6.21	6.25	6.28	6.31	6.35
	8"	10.10	10.16	10.22	10.27	10.33	10.39	10.45	10.50	10.56	10.62	10.67	10.73	10.79	10.84	10.90
	10"	15.38	15.46	15.55	15.64	15.72	15.81	15.90	15.98	16.07	16.16	16.25	16.33	16.42	16.51	16.59
	12"	21.73	21.85	21.98	22.10	22.22	22.34	22.47	22.59	22.71	22.84	22.96	23.08	23.21	23.33	23.45
DR18 AWWA C900 20 FT. Blue	4"	2.35	2.37	2.38	2.39	2.40	2.42	2.43	2.44	2.46	2.47	2.48	2.50	2.51	2.52	2.53
	6"	4.69	4.71	4.74	4.77	4.79	4.82	4.85	4.88	4.90	4.93	4.96	4.98	5.01	5.04	5.06
	8"	8.11	8.16	8.20	8.25	8.29	8.34	8.39	8.43	8.48	8.52	8.57	8.62	8.66	8.71	8.75
	10"	12.17	12.24	12.31	12.38	12.45	12.52	12.59	12.66	12.73	12.80	12.86	12.93	13.00	13.07	13.14
	12"	17.19	17.28	17.38	17.48	17.58	17.67	17.77	17.87	17.96	18.06	18.16	18.25	18.35	18.45	18.55
DR25 AWWA C900 20 FT. Blue	4"	1.71	1.72	1.73	1.74	1.75	1.76	1.77	1.77	1.78	1.79	1.80	1.81	1.82	1.83	1.84
	6"	3.42	3.44	3.46	3.48	3.50	3.52	3.54	3.56	3.58	3.60	3.62	3.64	3.66	3.68	3.70
	8"	5.83	5.86	5.89	5.92	5.95	5.98	6.01	6.04	6.07	6.10	6.13	6.16	6.19	6.22	6.25
	10"	8.85	8.90	8.95	9.00	9.05	9.10	9.15	9.20	9.25	9.30	9.35	9.40	9.45	9.50	9.55
	12"	12.52	12.59	12.66	12.73	12.80	12.87	12.94	13.01	13.08	13.15	13.22	13.29	13.36	13.43	13.50
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.51	0.51	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55
	3"	1.04	1.05	1.05	1.06	1.07	1.07	1.08	1.08	1.09	1.10	1.10	1.11	1.11	1.12	1.13
	4"	1.72	1.73	1.74	1.75	1.76	1.77	1.78	1.79	1.80	1.81	1.82	1.83	1.84	1.85	1.86
	6"	3.65	3.68	3.70	3.72	3.74	3.76	3.79	3.81	3.83	3.85	3.87	3.89	3.91	3.93	3.95
	8"	6.20	6.23	6.27	6.30	6.34	6.37	6.41	6.44	6.48	6.51	6.55	6.58	6.62	6.65	6.69
	10"	9.64	9.69	9.75	9.80	9.85	9.91	9.96	10.02	10.07	10.12	10.18	10.23	10.29	10.34	10.39
	12"	13.57	13.65	13.72	13.80	13.87	13.95	14.03	14.10	14.18	14.25	14.33	14.41	14.48	14.56	14.63
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	3"	0.86	0.87	0.87	0.88	0.88	0.89	0.89	0.90	0.90	0.91	0.91	0.92	0.92	0.93	0.93
	4"	1.39	1.40	1.41	1.41	1.42	1.43	1.44	1.44	1.45	1.46	1.47	1.48	1.48	1.49	1.50
	6"	3.00	3.02	3.04	3.05	3.07	3.09	3.10	3.12	3.14	3.15	3.17	3.19	3.21	3.22	3.24
	8"	5.10	5.13	5.16	5.19	5.22	5.25	5.27	5.30	5.33	5.36	5.39	5.42	5.45	5.48	5.51
	10"	7.91	7.96	8.00	8.05	8.09	8.14	8.18	8.23	8.27	8.32	8.36	8.41	8.45	8.50	8.54
	12"	11.14	11.21	11.27	11.33	11.40	11.46	11.52	11.58	11.65	11.71	11.77	11.84	11.90	11.96	12.03
SDR35 ASTM D3034 14 & 20 FT. Green	4"	0.97	0.97	0.98	0.98	0.99	0.99	1.00	1.00	1.01	1.01	1.02	1.02	1.03	1.03	1.04
	6"	2.11	2.13	2.14	2.15	2.16	2.17	2.19	2.20	2.21	2.22	2.23	2.25	2.26	2.27	2.28
	8"	3.79	3.81	3.84	3.86	3.88	3.90	3.92	3.95	3.97	3.99	4.01	4.03	4.06	4.08	4.10
	10"	5.95	5.98	6.01	6.05	6.08	6.12	6.15	6.18	6.22	6.25	6.29	6.32	6.35	6.39	6.42
	12"	8.54	8.58	8.63	8.68	8.73	8.78	8.83	8.88	8.93	8.98	9.03	9.07	9.12	9.17	9.22
	15"	12.68	12.76	12.83	12.90	12.97	13.04	13.12	13.19	13.26	13.33	13.40	13.48	13.55	13.62	13.69
SDR26 ASTM D3034 14 FT. Green	4"	1.29	1.30	1.31	1.31	1.32	1.33	1.33	1.34	1.35	1.36	1.36	1.37	1.38	1.38	1.39
	6"	2.80	2.82	2.83	2.85	2.87	2.88	2.90	2.91	2.93	2.95	2.96	2.98	2.99	3.01	3.03
	8"	5.05	5.08	5.11	5.14	5.17	5.20	5.23	5.26	5.29	5.32	5.34	5.37	5.40	5.43	5.46
	10"	7.91	7.96	8.00	8.05	8.09	8.14	8.18	8.23	8.27	8.32	8.36	8.41	8.45	8.50	8.54
	12"	11.29	11.35	11.42	11.48	11.55	11.61	11.68	11.74	11.81	11.87	11.94	12.00	12.07	12.13	12.20
	15"	17.11	17.21	17.31	17.40	17.50	17.60	17.69	17.79	17.89	17.99	18.08	18.18	18.28	18.37	18.47

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145
DR14 AWWA C900 20 FT. Blue	4"	3.24	3.26	3.28	3.29	3.31	3.32	3.34	3.36	3.37	3.39	3.40	3.42	3.44	3.45	3.47
	6"	6.38	6.41	6.45	6.48	6.51	6.54	6.58	6.61	6.64	6.68	6.71	6.74	6.78	6.81	6.84
	8"	10.96	11.02	11.07	11.13	11.19	11.24	11.30	11.36	11.41	11.47	11.53	11.59	11.64	11.70	11.76
	10"	16.68	16.77	16.85	16.94	17.03	17.12	17.20	17.29	17.38	17.46	17.55	17.64	17.72	17.81	17.90
DR18 AWWA C900 20 FT. Blue	4"	2.55	2.56	2.57	2.59	2.60	2.61	2.63	2.64	2.65	2.66	2.68	2.69	2.70	2.72	2.73
	6"	5.09	5.12	5.15	5.17	5.20	5.23	5.25	5.28	5.31	5.33	5.36	5.39	5.42	5.44	5.47
	8"	8.80	8.85	8.89	8.94	8.98	9.03	9.08	9.12	9.17	9.21	9.26	9.31	9.35	9.40	9.44
	10"	13.21	13.28	13.35	13.42	13.49	13.55	13.62	13.69	13.76	13.83	13.90	13.97	14.04	14.11	14.18
DR25 AWWA C900 20 FT. Blue	4"	1.85	1.86	1.86	1.87	1.88	1.89	1.90	1.91	1.92	1.93	1.94	1.95	1.95	1.96	1.97
	6"	3.72	3.74	3.76	3.78	3.80	3.82	3.84	3.86	3.88	3.90	3.92	3.94	3.96	3.98	4.00
	8"	6.28	6.31	6.34	6.37	6.40	6.43	6.46	6.49	6.52	6.55	6.58	6.61	6.64	6.67	6.70
	10"	9.60	9.65	9.70	9.75	9.80	9.85	9.90	9.95	10.00	10.05	10.10	10.15	10.20	10.25	10.30
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.55	0.56	0.56	0.56	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.60
	3"	1.13	1.14	1.14	1.15	1.16	1.16	1.17	1.17	1.18	1.19	1.19	1.20	1.20	1.21	1.22
	4"	1.87	1.88	1.89	1.90	1.91	1.92	1.93	1.94	1.95	1.96	1.97	1.98	1.99	2.00	2.01
	6"	3.97	4.00	4.02	4.04	4.06	4.08	4.10	4.12	4.14	4.16	4.18	4.21	4.23	4.25	4.27
	8"	6.72	6.76	6.79	6.83	6.86	6.90	6.93	6.97	7.00	7.04	7.07	7.11	7.14	7.18	7.21
	10"	10.45	10.50	10.56	10.61	10.66	10.72	10.77	10.83	10.88	10.93	10.99	11.04	11.10	11.15	11.20
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	12"	14.71	14.79	14.86	14.94	15.01	15.09	15.17	15.24	15.32	15.39	15.47	15.55	15.62	15.70	15.77
	3"	0.94	0.94	0.95	0.95	0.96	0.96	0.97	0.97	0.98	0.98	0.99	0.99	1.00	1.00	1.01
	4"	1.51	1.52	1.52	1.53	1.54	1.55	1.56	1.56	1.57	1.58	1.59	1.60	1.60	1.61	1.62
	6"	3.26	3.27	3.29	3.31	3.32	3.34	3.36	3.38	3.39	3.41	3.43	3.44	3.46	3.48	3.49
	8"	5.54	5.56	5.59	5.62	5.65	5.68	5.71	5.74	5.77	5.80	5.83	5.85	5.88	5.91	5.94
SDR35 ASTM D3034 14 & 20 FT. Green	10"	8.59	8.63	8.68	8.72	8.77	8.81	8.86	8.90	8.95	8.99	9.04	9.08	9.13	9.17	9.22
	12"	12.09	12.15	12.21	12.28	12.34	12.40	12.47	12.53	12.59	12.66	12.72	12.78	12.84	12.91	12.97
	4"	1.04	1.05	1.05	1.06	1.06	1.07	1.07	1.08	1.08	1.09	1.09	1.10	1.10	1.11	1.11
	6"	2.29	2.31	2.32	2.33	2.34	2.35	2.37	2.38	2.39	2.40	2.41	2.43	2.44	2.45	2.46
	8"	4.12	4.14	4.17	4.19	4.21	4.23	4.25	4.28	4.30	4.32	4.34	4.36	4.39	4.41	4.43
SDR26 ASTM D3034 14 FT. Green	10"	6.46	6.49	6.52	6.56	6.59	6.63	6.66	6.69	6.73	6.76	6.80	6.83	6.86	6.90	6.93
	12"	9.27	9.32	9.37	9.42	9.47	9.52	9.56	9.61	9.66	9.71	9.76	9.81	9.86	9.91	9.96
	15"	13.76	13.84	13.91	13.98	14.05	14.12	14.20	14.27	14.34	14.41	14.48	14.56	14.63	14.70	14.77
	4"	1.40	1.40	1.41	1.42	1.43	1.43	1.44	1.45	1.45	1.46	1.47	1.47	1.48	1.49	1.50
	6"	3.04	3.06	3.07	3.09	3.11	3.12	3.14	3.15	3.17	3.19	3.20	3.22	3.23	3.25	3.27
	8"	5.49	5.52	5.55	5.58	5.61	5.63	5.66	5.69	5.72	5.75	5.78	5.81	5.84	5.87	5.90
	10"	8.59	8.63	8.68	8.72	8.77	8.81	8.86	8.90	8.95	8.99	9.04	9.08	9.13	9.17	9.22
	12"	12.26	12.33	12.39	12.46	12.52	12.59	12.65	12.72	12.78	12.85	12.91	12.98	13.04	13.11	13.17
	15"	18.57	18.66	18.76	18.86	18.96	19.05	19.15	19.25	19.34	19.44	19.54	19.63	19.73	19.83	19.93

JM Eagle Waterworks Block Price List

May 1st, 2015

Unit: \$/FT.

www.jmeagle.com

PRODUCT	SIZE	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
DR14 AWWA C900 20 FT. Blue	4"	3.48	3.50	3.52	3.53	3.55	3.56	3.58	3.60	3.61	3.63	3.64	3.66	3.68	3.69	3.71
	6"	6.87	6.91	6.94	6.97	7.01	7.04	7.07	7.11	7.14	7.17	7.20	7.24	7.27	7.30	7.34
	8"	11.81	11.87	11.93	11.98	12.04	12.10	12.16	12.21	12.27	12.33	12.38	12.44	12.50	12.55	12.61
	12"	17.99	18.07	18.16	18.25	18.33	18.42	18.51	18.59	18.68	18.77	18.86	18.94	19.03	19.12	19.20
DR18 AWWA C900 20 FT. Blue	4"	2.74	2.76	2.77	2.78	2.79	2.81	2.82	2.83	2.85	2.86	2.87	2.89	2.90	2.91	2.92
	6"	5.50	5.52	5.55	5.58	5.60	5.63	5.66	5.69	5.71	5.74	5.77	5.79	5.82	5.85	5.87
	8"	9.49	9.54	9.58	9.63	9.67	9.72	9.77	9.81	9.86	9.90	9.95	10.00	10.04	10.09	10.13
	12"	14.24	14.31	14.38	14.45	14.52	14.59	14.66	14.73	14.80	14.87	14.93	15.00	15.07	15.14	15.21
DR25 AWWA C900 20 FT. Blue	4"	1.98	1.99	2.00	2.01	2.02	2.03	2.04	2.04	2.05	2.06	2.07	2.08	2.09	2.10	2.11
	6"	4.02	4.04	4.06	4.08	4.10	4.12	4.14	4.16	4.18	4.20	4.22	4.24	4.26	4.28	4.30
	8"	6.73	6.76	6.79	6.82	6.85	6.88	6.91	6.94	6.97	7.00	7.03	7.06	7.09	7.12	7.15
	12"	10.35	10.40	10.45	10.50	10.55	10.60	10.65	10.70	10.75	10.80	10.85	10.90	10.95	11.00	11.05
IPS RT-200 SDR21 ASTM D2241 20 FT. Blue / White	2"	0.60	0.60	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.63	0.63	0.63	0.64	0.64	0.64
	3"	1.22	1.23	1.23	1.24	1.25	1.25	1.26	1.26	1.27	1.28	1.28	1.29	1.29	1.30	1.31
	4"	2.02	2.03	2.04	2.05	2.06	2.07	2.08	2.09	2.10	2.11	2.12	2.13	2.14	2.15	2.16
	6"	4.29	4.31	4.33	4.35	4.37	4.39	4.42	4.44	4.46	4.48	4.50	4.52	4.54	4.56	4.58
	8"	7.25	7.28	7.32	7.35	7.39	7.42	7.46	7.49	7.53	7.56	7.60	7.63	7.67	7.70	7.74
	12"	11.26	11.31	11.37	11.42	11.47	11.53	11.58	11.64	11.69	11.74	11.80	11.85	11.91	11.96	12.01
IPS RT-160 SDR26 ASTM D2241 20 FT. Blue / White	3"	1.01	1.02	1.02	1.03	1.03	1.04	1.04	1.05	1.05	1.06	1.06	1.07	1.07	1.08	1.08
	4"	1.63	1.64	1.64	1.65	1.66	1.67	1.68	1.68	1.69	1.70	1.71	1.72	1.72	1.73	1.74
	6"	3.51	3.53	3.55	3.56	3.58	3.60	3.61	3.63	3.65	3.66	3.68	3.70	3.72	3.73	3.75
	8"	5.97	6.00	6.03	6.06	6.09	6.12	6.14	6.17	6.20	6.23	6.26	6.29	6.32	6.35	6.38
	10"	9.26	9.31	9.35	9.40	9.44	9.49	9.53	9.58	9.62	9.67	9.71	9.76	9.80	9.85	9.89
	12"	13.03	13.10	13.16	13.22	13.29	13.35	13.41	13.47	13.54	13.60	13.66	13.73	13.79	13.85	13.92
SDR35 ASTM D3034 14 & 20 FT. Green	4"	1.12	1.12	1.13	1.13	1.14	1.14	1.15	1.15	1.16	1.16	1.17	1.17	1.18	1.18	1.19
	6"	2.47	2.49	2.50	2.51	2.52	2.53	2.55	2.56	2.57	2.58	2.59	2.61	2.62	2.63	2.64
	8"	4.45	4.47	4.50	4.52	4.54	4.56	4.58	4.61	4.63	4.65	4.67	4.69	4.72	4.74	4.76
	10"	6.97	7.00	7.03	7.07	7.10	7.14	7.17	7.20	7.24	7.27	7.31	7.34	7.37	7.41	7.44
	12"	10.01	10.05	10.10	10.15	10.20	10.25	10.30	10.35	10.40	10.45	10.50	10.54	10.59	10.64	10.69
SDR26 ASTM D3034 14 FT. Green	4"	1.50	1.51	1.52	1.52	1.53	1.54	1.54	1.55	1.56	1.57	1.57	1.58	1.59	1.59	1.60
	6"	3.28	3.30	3.31	3.33	3.35	3.36	3.38	3.39	3.41	3.43	3.44	3.46	3.47	3.49	3.51
	8"	5.92	5.95	5.98	6.01	6.04	6.07	6.10	6.13	6.16	6.19	6.21	6.24	6.27	6.30	6.33
	10"	9.26	9.31	9.35	9.40	9.44	9.49	9.53	9.58	9.62	9.67	9.71	9.76	9.80	9.85	9.89
	12"	13.24	13.30	13.37	13.43	13.50	13.56	13.63	13.69	13.76	13.82	13.89	13.95	14.02	14.08	14.15
	15"	20.02	20.12	20.22	20.31	20.41	20.51	20.60	20.70	20.80	20.90	20.99	21.09	21.19	21.28	21.38