


PVC ELECTRICAL CONDUIT FITTINGS

CAPS



2" and larger conforms to ASTM F512.


Less than 2" conforms to NEMA TC 3.

ITEM NUMBER	NOMINAL SIZE	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)
6046 0500	½	0.852	0.836	0.652
6046 0075	¾	1.064	1.046	0.719
6046 0100	1	1.330	1.310	0.875
6046 0125	1¼	1.677	1.655	0.938
6046 0150	1½	1.918	1.894	1.062
6046 0200	2	2.393	2.369	1.125
6046 0300	3	3.515	3.492	1.594
6046 0350	3½	4.015	3.992	1.687
6046 0400	4	4.515	4.491	1.750
6046 0500	5	5.593	5.553	1.937
6046 0600	6	6.658	6.614	2.125

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

E ACCESS FITTINGS
C ACCESS FITTINGS
T ACCESS FITTINGS

High tensile and impact strength.
Non-conductive and non-sparkling.
Corrosion resistant.



E ACCESS FITTINGS		C ACCESS FITTINGS		T ACCESS FITTINGS	
ITEM NUMBER	NOMINAL SIZE	ITEM NUMBER	NOMINAL SIZE	ITEM NUMBER	NOMINAL SIZE
6132 0050	½	6131 0050	½	6138 0050	½
6132 0075	¾	6131 0075	¾	6138 0075	¾
6132 0100	1	6131 0100	1	6138 0100	1
6132 0125	1¼	6131 0125	1¼	6138 0125	1¼
6132 0150	1½	6131 0150	1½	6138 0150	1½
6132 0200	2	6131 0200	2	6138 0200	2
6132 0250	2½	6131 0250	2½	6138 0250	2½
6132 0300	3	6131 0300	3	6138 0300	3
6132 0350	3½	6131 0350	3½	6138 0350	3½
6132 0400	4	6131 0400	4	6138 0400	4

SIZE	A	B	C	D	E	F	G	H	I	J
½	5.606	0.639	1.268	1.100	0.840	4.337	4.095	1.297	2.487	2.280
¾	5.606	0.810	1.536	1.325	1.505	5.395	4.095	1.297	2.487	2.803
1	6.500	0.910	1.700	1.600	1.335	6.250	4.750	1.500	2.075	3.250
1¼	7.900	1.050	2.300	2.250	1.100	7.625	5.750	1.750	3.575	3.950
1½	8.500	1.125	2.675	2.250	1.900	8.250	6.500	1.750	3.938	4.250
2	10.875	1.160	3.188	2.820	2.375	10.531	8.156	2.344	4.535	5.438
2½	14.600	1.750	4.500	3.950	2.870	13.630	10.897	3.805	6.240	7.300
3	14.600	1.900	4.500	3.950	3.510	13.630	10.897	3.805	6.240	7.300
3½	17.040	2.125	5.536	5.000	4.000	16.000	11.465	4.535	7.500	8.535
4	17.040	2.125	5.536	5.000	4.530	16.000	11.465	4.535	7.500	8.535


UL Listed. Conforms to UL 514 C.

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

PVC CEMENT AND PRIMER

With dauber for all PVC Electrical Applications



PVC MEDIUM BODY CEMENT	
REGULAR ITEM NUMBER	SIZE
8212 03*	Clear Pints
8211 94*	Clear Quarts
8211 95	Clear Gallon
8212 06*	Gray Pints
8212 05*	Gray Quarts
8212 11	Gray Gallon
LO-VOC ITEM NUMBER	SIZE
8222 03*	Clear Pints
8222 04*	Clear Quarts

PVC PURPLE PRIMER (LO-VOC)	
ITEM NUMBER	SIZE
8210 02*	Pint
8210 01*	Quart
8210 00	Gallon

* Supplier with dauber

CEMENT REQUIREMENT									
APPROXIMATE NUMBER OF JOINTS PER QUART OF CEMENT BY PIPE SIZE									
½"	¾"	1"	1¼"	1½"	2"	2½"	3"	4"	6"
300	200	125	105	90	60	50	40	30	10


Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC DUCT FITTINGS AND ACCESSORIES


DUCT SWEEPS

BELLED END

Conforms to ASTM F512 and NEMA TC 9.
Made from DB-60 unless otherwise specified.



BELL DETAIL




TRADE SIZE	MINIMUM TANGENT	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)
1	1.250	1.325	1.310	1.000
1 1/2	2.000	1.912	1.894	1.375
2	2.250	2.387	2.369	1.750
3	3.375	3.516	3.492	2.875
4	3.875	4.518	4.491	3.375
5	4.500	5.583	5.553	4.000
6	5.500	6.647	6.614	5.000

PVC DUCT FITTINGS AND ACCESSORIES


DUCT SWEEPS

BELLED END

Conforms to ASTM F512 and NEMA TC 9.
Made from DB-100 unless otherwise specified.



BELL DETAIL




TRADE SIZE	MINIMUM TANGENT	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)
1	1.250	1.325	1.310	1.000
1 1/2	2.000	1.912	1.894	1.375
2	2.250	2.387	2.369	1.750
3	3.375	3.516	3.492	2.875
4	3.875	4.518	4.491	3.375
5	4.500	5.583	5.553	4.000
6	5.500	6.647	6.614	5.000

PVC DUCT FITTINGS AND ACCESSORIES


DUCT SWEEPS

BELLED END

Conforms to ASTM F512 and NEMA TC 9.
Made from DB-120 unless otherwise specified.



BELL DETAIL



TRADE SIZE	MINIMUM TANGENT	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)
1	1.250	1.325	1.310	1.000
1 1/2	2.000	1.912	1.894	1.375
2	2.250	2.387	2.369	1.750
3	3.375	3.516	3.492	2.875
4	3.875	4.518	4.491	3.375
5	4.500	5.583	5.553	4.000
6	5.500	6.647	6.614	5.000



PVC DUCT FITTINGS AND ACCESSORIES

DUCT COUPLINGS

5° B × S

Conforms to NEMA TC9.

ITEM NUMBER	TRADE SIZE	MAXIMUM M (INCHES)	AVERAGE X (INCHES)
61190200	2	2 9/16	2.375
61190300	3	3 23/32	3.500
61190400	4	4 51/64	4.500
61190500	5	5 59/64	5.563
61190600	6	7 1/64	6.625





DUCT COUPLINGS

5° B × B

Conforms to NEMA TC9.


ITEM NUMBER	TRADE SIZE	MAXIMUM M (INCHES)
61170200	2	2 9/16
61170300	3	3 23/32
61170400	4	4 51/64
61170500	5	5 59/64
61170600	6	7 1/64



TAPERED PLUGS WITH PULL TABS

ITEM NUMBER	TRADE SIZE
61800200	2
61800250	2 1/2
61800300	3
61800400	4
61800500	5
61800600	6


Each trade size designed to fit either bell or spigot end of PVC conduit or duct.



PVC DUCT FITTINGS AND ACCESSORIES

DUCT/SWEDGE COUPLINGS AND REPAIR COUPLINGS


Made from DB-60.
Also available in 4" C Duct and 4" GTS-8342.



DUCT/SWEDGE COUPLINGS


Conforms to ASTM F512 and NEMA TC 9.

ITEM NUMBER	TRADE SIZE	MAXIMUM A (INCHES)	MAXIMUM SH (INCHES)	MINIMUM N (INCHES)
61010200	2	2 47/64	0.075	3/32
61010300	3	3 31/32	0.076	7/64
61010350	3 1/2	4 1/2	0.087	7/64
61010400	4	5 1/32	0.097	7/64
61010500	5	6 1/4	0.118	9/64
61010600	6	7 1/2	0.140	9/64



REPAIR COUPLINGS


ITEM NUMBER	TRADE SIZE	L (INCHES)
61020200	2	5.00
61020300	3	6.00
61020400	4	7.33
61020500	5	9.00
61020600	6	11.00



PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

END BELLS

Conforms to ASTM F512










ITEM NUMBER	NOMINAL SIZE	MAXIMUM M1 (INCHES)	MAXIMUM SH (INCHES)	MAXIMUM N (INCHES)
6150 0100	1	2¼	0.070	3/16
6150 0150	1½	2½	0.070	3/16
6150 0200	2	3 ⁷ / ₆₄	0.075	5/16
6150 0300	3	4 ¹ / ₈	0.076	5/16
6150 0350	3½	4 ⁵ / ₈	0.087	5/16
6150 0400	4	5 ¹¹ / ₃₂	0.097	7/16
6150 0500	5	6 ¹³ / ₃₂	0.118	7/16
6150 0600	6	7 ¹³ / ₃₂	0.140	7/16

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

F SERIES WATERPROOF COVER PLATES

Applications include all industrial, commercial and institutional weatherproof requirements.

- Non-corrosive.
- Non-conductive.
- Self-closing lid ensures a weatherproof seal.


		ITEM NUMBER
	GFI Receptacle	6155 0100
	Duplex Receptacle	6155 0101
	Single Switch	6155 0102
	Single Receptacle 1.375 in. opening 15 AMP	6155 0103
	Single Receptacle 1.625 in. opening 20 AMP	6155 0104
	Single Receptacle 1.722 in. opening 30 AMP	6155 0105
	Single Receptacle 2.187 in. opening 50 AMP	6155 0106

UL Listed. Conforms to UL 514C.

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

EXPANSION COUPLINGS



ITEM NUMBER	NOMINAL SIZE	AVERAGE A (INCHES)	AVERAGE B (INCHES)	AVERAGE C (INCHES)	LAY LENGTHS	
					STOP TO STOP TOTAL CLOSED (INCHES)	STOP TO STOP TOTAL OPEN (INCHES)
6115 0050	½	0.852	0.836	0.652	8.00	12.00
6115 0075	¾	1.064	1.046	0.719	8.00	12.00
6115 0100	1	1.330	1.310	0.875	8.50	12.50
6115 0125	1¼	1.677	1.655	0.938	9.00	13.00
6115 0150	1½	1.918	1.894	1.062	9.00	13.00
6115 0200	2	2.393	2.369	1.125	9.25	13.25
6115 0250	2½	2.890	2.868	1.469	9.25	13.25
6115 0300	3	3.515	3.492	1.594	14.25	22.25
6115 0350	3½	4.015	3.992	1.687	14.25	22.25
6115 0400	4	4.515	4.491	1.750	14.25	22.25
6115 0500*	5	5.614	5.573	1.937	18.50	24.50
6115 0600*	6	6.687	6.636	2.125	20.50	26.50

UL Listed. Conforms to UL 514B.

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

F SERIES SINGLE GANG BOXES




Boxes:

4⁹/₁₆" long

2¹³/₁₆" wide

2" deep (½" and ¾" sizes)

2¾" deep (1" size)




	ITEM NUMBER	SIZE
FSE Gang Boxes	6152 0050	½
	6152 0075	¾
	6152 0100	1
FSS Gang Boxes	6153 0050	½
	6153 0075	¾
FSC Gang Boxes	6154 0050	½
	6154 0075	¾
	6154 0100	1

UL Listed. Conforms to UL 514C.

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

FEMALE ADAPTERS



ITEM NUMBER	TRADE SIZE	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)	MINIMUM F (INCHES)	MAXIMUM F (INCHES)
6007 0050	½	0.852	0.836	0.652	0.591	0.622
6007 0075	¾	1.064	1.046	0.719	0.783	0.824
6007 0100	1	1.330	1.310	0.875	0.997	1.049
6007 0125	1¼	1.677	1.655	0.938	1.311	1.380
6007 0150	1½	1.918	1.894	1.062	1.529	1.610
6007 0200	2	2.393	2.369	1.125	1.964	2.067
6007 0250	2½	2.890	2.868	1.469	2.346	2.469
6007 0300	3	3.515	3.492	1.594	2.915	3.068
6007 0350	3½	4.015	3.992	1.687	3.371	3.548
6007 0400	4	4.515	4.491	1.750	3.825	4.026
6007 0500	5	5.593	5.553	1.937	4.795	5.047
6007 0600	6	6.658	6.614	2.125	5.762	6.065

UL Listed. Conforms to UL 514B and NEMA TC 3.





Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

F SERIES WATERPROOF WET LOCATION SWITCH COVERS

For all types of industrial, commercial and institutional weatherproof installations.

- Self-closing covers.
- Non-corrosive.
- Non-conductive.

		ITEM NUMBER
	Single Toggle Switch Cover	6155 0200
	Double Toggle Switch Cover	6155 0201
	Plunger Style for Motor Rated Switches	6155 0202
	Switch & GFI Type Receptacle	6155 0300

UL Listed. Conforms to UL 514C.


Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

FLOOR BOXES

UL Listed. Conforms to UL 514C.


*90 Cubic Inch Maximum Volume
Minimum Concrete Depth 3" Box
Height 6".*



ITEM NUMBER	INCLUDES:
6163 0500	1 Floor Box Base 1 Temporary Protective Cap 2 — 1x3/4 Reducer Plugs 3 — 3/4x1/2 Reducer Plugs

PVC ADAPTER RING ASSEMBLY FOR FLOOR BOX COVER


UL Listed. Conforms to UL 514C.



ITEM NUMBER	INCLUDES:
6163 0550	Cover Adapter Leveling Ring 2 Gaskets

JUNCTION BOXES AND JUNCTION BOX ADAPTERS

J-Boxes are NEMA rated 1, 2, 3, 4, 4X, 12, 13 and UL Listed for wet locations.




JUNCTION BOXES

UL Listed. Conforms to UL 514C.

ITEM NUMBER	SIZE	A (IN.)	B (IN.)	C (IN.)	D (IN.)	E (IN.)	F
6160 04002	4x4x2	3.675	4.000	3.450	2.300	2.000	8-32
6160 04004	4x4x4*	3.675	4.000	3.450	4.188	3.750	8-32
6160 06004	6x6x4	6.000	6.375	5.813	4.880	4.000	10-32
6160 06006	6x6x6	6.000	6.375	5.813	6.188	6.000	10-32
6160 08004	8x8x4	8.075	8.625	7.966	4.230	4.005	¼-20
6160 08007	8x8x7	8.100	8.625	7.966	7.250	7.035	¼-20
6160 12004	12x12x4	12.085	12.580	11.874	4.256	4.030	¼-20
6160 12006	12x12x6	12.085	12.580	11.874	6.240	6.025	¼-20


* Does not include feet.
Includes Cover, Gasket and Screws. Additional sizes available upon request.



JUNCTION BOX ADAPTERS

UL Listed. Conforms to UL 514B.

ITEM NUMBER	SIZE	A (IN.)	B (IN.)	C (IN.)
6162 0050	½	0.812	0.605	0.840
6162 0075	¾	0.937	0.807	1.050
6162 0100	1	1.120	1.060	1.315
6162 0125	1¼	1.125	1.355	1.660
6162 0150	1½	1.100	1.560	1.900
6162 0200	2	1.315	2.030	2.375
6162 0250	2½	1.843	2.450	2.875
6162 0300	3	2.093	3.030	3.500
6162 0400	4	2.375	4.016	4.500



Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

PVC ELECTRICAL RADIUS ELBOWS

SCHEDULE 40



PLAIN END ITEM NUMBER	BELLED END ITEM NUMBER	TRADE SIZE
45° Elbow		
71450050	75450050	1/2
71450075	75450075	3/4
71450100	75450100	1
71450125	75450125	1 1/4
71450150	75450150	1 1/2
71450200	75450200	2
71450250	75450250	2 1/2
71450300	75450300	3
71450350	75450350	3 1/2
71450400	75450400	4
71450500	75450500	5
71450600	75450600	6
90° Elbow		
71900050	75900050	1/2
71900075	75900075	3/4
71900100	75900100	1
71900125	75900125	1 1/4
71900150	75900150	1 1/2
71900200	75900200	2
71900250	75900250	2 1/2
71900300	75900300	3
71900350	75900350	3 1/2
71900400	75900400	4
71900500	75900500	5
71900600	75900600	6



STANDARD RADIUS SWEEP DIMENSIONS

SCHEDULE 40

TRADE SIZE	A (INCHES)	MINIMUM B (INCHES)	MINIMUM C (INCHES)	TRADE SIZE	A (INCHES)	MINIMUM B (INCHES)	MINIMUM C (INCHES)
1/2	0.840	4.000	1.500	2 1/2	2.875	10.500	3.000
3/4	1.050	4.500	1.500	3	3.500	13.000	3.125
1	1.315	5.750	1.875	3 1/2	4.000	15.000	3.250
1 1/4	1.660	7.250	2.000	4	4.500	16.000	3.375
1 1/2	1.900	8.250	2.000	5	5.563	24.000	3.625
2	2.375	9.500	2.000	6	6.625	30.000	3.750



UL Listed. Conforms to UL 651, NEMA TC 3.



Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

LL ACCESS FITTINGS

LB ACCESS FITTINGS

LR ACCESS FITTINGS

High tensile and impact strength.
Non-conductive and non-sparking.
Corrosion resistant.



LL ACCESS FITTINGS	
ITEM NUMBER	NOMINAL SIZE
6136 0050	1/2
6136 0075	3/4
6136 0100	1
6136 0125	1 1/4
6136 0150	1 1/2
6136 0200	2
6136 0250	2 1/2
6136 0300	3
6136 0350	3 1/2
6136 0400	4

LB ACCESS FITTINGS	
ITEM NUMBER	NOMINAL SIZE
6134 0050	1/2
6134 0075	3/4
6134 0100	1
6134 0125	1 1/4
6134 0150	1 1/2
6134 0200	2
6134 0250	2 1/2
6134 0300	3
6134 0350	3 1/2
6134 0400	4

LR ACCESS FITTINGS	
ITEM NUMBER	NOMINAL SIZE
6137 0050	1/2
6137 0075	3/4
6137 0100	1
6137 0125	1 1/4
6137 0150	1 1/2
6137 0200	2
6137 0250	2 1/2
6137 0300	3
6137 0350	3 1/2
6137 0400	4


NOMINAL SIZE	B	C	D	E	F	G	H	I
1/2	0.639	1.268	1.100	0.840	4.337	4.095	1.297	2.487
3/4	0.810	1.536	1.325	1.050	5.395	4.095	1.297	2.487
1	0.910	1.700	1.600	1.335	6.250	4.750	1.500	2.075
1 1/4	1.050	2.300	2.250	1.100	7.625	5.750	1.750	3.575
1 1/2	1.125	2.675	2.250	1.900	8.250	6.500	1.750	3.938
2	1.160	3.188	2.820	2.375	10.531	8.156	2.344	4.535
2 1/2	1.750	4.500	3.950	2.870	13.630	10.897	3.805	6.240
3	1.900	4.500	3.950	3.510	13.630	10.897	3.805	6.240
3 1/2	2.125	5.536	5.000	4.000	16.000	11.465	4.535	7.500
4	2.125	5.536	5.000	4.530	16.000	11.465	4.535	7.500

UL Listed. Conforms to UL 514C.

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

REDUCER BUSHINGS



Dimensions per ASTM D 2466.

ITEM NUMBER	NOMINAL SIZE (MALE × FEMALE)	AVERAGE A (INCHES)	AVERAGE B (INCHES)	C (INCHES)	AVERAGE D (INCHES)	E (INCHES)
6048 007505	¾ × ½	0.848	0.836	0.688	1.050	⅛
6048 010007	1 × ¾	1.058	1.046	0.719	1.315	⅜
6048 012510	1¼ × 1	1.325	1.310	0.875	1.660	¼
6048 015012	1½ × 1¼	1.670	1.655	0.938	1.900	⅜
6048 020012	2 × 1¼	1.670	1.655	0.938	2.375	⅛
6048 020015	2 × 1½	1.912	1.894	1.094	2.375	⅝
6048 025020	2½ × 2	2.387	2.369	1.156	2.875	¼
6048 030020	3 × 2	2.387	2.369	1.156	3.500	¼
6048 040030	4 × 3	3.516	3.492	1.875	4.500	⅜

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

STANDARD RADIUS ELBOWS

SCHEDULE 80



ITEM NUMBER	TRADE SIZE	ITEM NUMBER	TRADE SIZE
45° Elbow		90° Elbow	
72450050*	1/2	72900050*	1/2
72450075*	3/4	72900075*	3/4
72450100*	1	72900100*	1
72450125*	1 1/4	72900125*	1 1/4
72450150*	1 1/2	72900150*	1 1/2
72450200*	2	72900200*	2
76450250	2 1/2	76900250	2 1/2
76450300	3	76900300	3
76450400	4	76900400	4
76450500	5	76900500	5
76450600	6	76900600	6



STANDARD RADIUS SWEEP DIMENSIONS



SCHEDULE 80

TRADE SIZE	A (INCHES)	MINIMUM B (INCHES)	MINIMUM C (INCHES)	TRADE SIZE	A (INCHES)	MINIMUM B (INCHES)	MINIMUM C (INCHES)
1/2	0.840	4.000	1.500	2 1/2	2.875	10.500	3.000
3/4	1.050	4.500	1.500	3	3.500	13.000	3.125
1	1.315	5.750	1.875	3 1/2	4.000	15.000	3.250
1 1/4	1.660	7.250	2.000	4	4.500	16.000	3.375
1 1/2	1.900	8.250	2.000	5	5.563	24.000	3.625
2	2.375	9.500	2.000	6	6.625	30.000	3.750



PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

TERMINAL ADAPTERS




ITEM NUMBER	TRADE SIZE	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)	MINIMUM F (INCHES)	MAXIMUM F (INCHES)
6006 0050	½	0.852	0.836	0.652	0.591	0.622
6006 0075	¾	1.064	1.046	0.719	0.783	0.824
6006 0100	1	1.330	1.310	0.875	0.997	1.049
6006 0125	1¼	1.677	1.655	0.938	1.311	1.380
6006 0150	1½	1.918	1.894	1.062	1.529	1.610
6006 0200	2	2.393	2.369	1.125	1.964	2.067
6006 0250	2½	2.890	2.868	1.469	2.346	2.469
6006 0300	3	3.515	3.492	1.594	2.915	3.068
6006 0350	3½	4.015	3.992	1.687	3.371	3.548
6006 0400	4	4.515	4.491	1.750	3.825	4.026
6006 0500	5	5.593	5.553	1.937	4.795	5.047
6006 0600	6	6.658	6.614	2.125	5.762	6.065

UL Listed. Conforms to UL 514B and NEMA TC 3.

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

UL COUPLINGS



ITEM NUMBER	TRADE SIZE	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)	N (INCHES)	MINIMUM D (INCHES)	MINIMUM E (INCHES)
6001 0050	1/2	0.852	0.836	0.652	3/32	0.630	0.095
6001 0075	3/4	1.064	1.046	0.719	3/32	0.834	0.095
6001 0100	1	1.330	1.310	0.875	3/32	1.059	0.100
6001 0125	1 1/4	1.677	1.655	0.938	3/32	1.392	0.120
6001 0150	1 1/2	1.918	1.894	1.062	3/32	1.622	0.120
6001 0200	2	2.393	2.369	1.125	3/32	2.079	0.130
6001 0250	2 1/2	2.890	2.868	1.469	3/16	2.484	0.165
6001 0300	3	3.515	3.492	1.594	3/16	3.083	0.216
6001 0350	3 1/2	4.015	3.992	1.687	3/16	3.598	0.226
6001 0400	4	4.515	4.491	1.750	3/16	4.076	0.237
6001 0500	5	5.593	5.553	1.937	3/16	5.097	0.258
6001 0600	6	6.658	6.614	2.125	1/4	6.115	0.280


UL listed.

All sizes conform to UL 514B and NEMA TC 3

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

SERVICE ENTRANCE FITTINGS



ITEM NUMBER	NOMINAL SIZE	AVERAGE A (INCHES)	AVERAGE B (INCHES)	MINIMUM C (INCHES)
6170 0100	1	1.330	1.310	0.875
6170 0125	1¼	1.677	1.655	0.938
6170 0150	1½	1.918	1.894	1.062
6170 0200	2	2.393	2.369	1.125
6170 0250	2½	2.890	2.868	1.469
6170 0300	3	3.515	3.492	1.594
6170 0350	3½*	4.015	3.992	1.687
6170 0400	4	4.515	4.491	1.750

*UL Listed. Conforms to UL 514B -Except as noted - **


Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.

PVC ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

SPECIAL RADIUS SWEEPS

SCHEDULE 40/80 BELLED END

TRADE SIZE	MINIMUM TANGENT (INCHES)	AVERAGE A (INCHES)	AVERAGE B (INCHES)	AVERAGE C (INCHES)
1	1.875	1.330	1.310	1.375
1 1/4	2.000	1.677	1.655	1.500
1 1/2	2.000	1.918	1.894	1.500
2	2.000	2.393	2.369	1.600
2 1/2	3.000	2.890	2.868	2.500
3	3.125	3.515	3.492	2.625
3 1/2	3.250	4.015	3.992	2.750
4	3.375	4.515	4.491	2.875
5	3.625	5.593	5.553	3.125
6	3.750	6.658	6.614	3.250



Plain end available upon request.

UL Listed. Conforms to UL 651, NEMA TC 3.

* Except elbows of less than 15° arc angle and/or elbows of more than 120 inches arc length.

Prior to ordering or specifying, please consult JM Eagle™ for product and/or listing availability.